

August 11, 1986
Ordinance Book 35 - Page 58

Petition No. 86-85
City of Charlotte

APPROVED BY CITY COUNCIL

ORDINANCE NO. 2008-Z

DATE 8-11-86

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF CHARLOTTE:

Section 1. That Section 1005 of the City of Charlotte Zoning Ordinance is hereby amended by establishing the R-6MF, I-2(CD), R-15, I-1, B-2 and B-1 zoning districts on the Official Zoning Map, City of Charlotte, N.C. for the property described on the attached map.

SEE ATTACHED MAP

Section 2. That all subsequent development and use of the property shall be in accordance with the approved plan.

Section 3. That this ordinance shall become effective upon its adoption.

APPROVED AS TO FORM:

Henry W. Underhill Jr.
City Attorney

Read, approved and adopted by the City Council of the City of Charlotte, North Carolina, in regular session convened on the 11th day of August, 1986, the reference having been made in Minute Book 86, and is recorded in full in Ordinance Book 35, at page 58.

Pat Sharkey
City Clerk

August 11, 1986
Ordinance Book 35 -
Page 59

PRISON CAMP
5.7 AC

R-6MF

I-1

200'
250'
200'
200'
200'
117'
70'
77.5'

S.U.P. 3322
S.U.P. 3320

253.8 AC R-9


CHARLOTTE

TRWIN
BIG SUGAR

CITY OF
115.16

F

394'
ARC



August 11, 1986
Ordinance Book 35 - Page 60

ORDINANCE NO. 2009-X

HICKORY GROVE/PENCE ROAD AREA

AN ORDINANCE TO EXTEND THE CORPORATE LIMITS OF THE CITY OF CHARLOTTE, UNDER THE AUTHORITY GRANTED BY PART 3, ARTICLE 4A, CHAPTER 160A OF THE GENERAL STATUTES OF NORTH CAROLINA.

WHEREAS, all of the prerequisites to adoption of this ordinance prescribed in Part 3, Article 4A, Chapter 160A of the General Statutes of North Carolina, have been met; and

WHEREAS, the City Council has taken into full consideration the statements presented at the public hearing held on the 12th day of June, 1986, on the question of this annexation; and

WHEREAS, the City Council has concluded and hereby declares that annexation of the area described herein is necessary to the orderly growth and development of the City of Charlotte.

NOW, THEREFORE, BE IT ORDAINED by the City Council of the City of Charlotte, North Carolina:

Section 1. That from and after the 30th day of June, 1987, the effective date of this annexation, the following territory shall be annexed to and become a part of the City of Charlotte, and the corporate limits of the City of Charlotte shall on said 30th day of June, 1987 be extended to include said territory more particularly described by metes and bounds set forth in Exhibit A, attached hereto and specifically incorporated as a part of this ordinance.

Section 2. That the City Council does hereby specifically find and declare that the above-described territory meets the requirements of G.S. 160A-48, in that:

A. The Area proposed to be annexed meets the general standards of G.S. 160A-48(b) as follows:

(1) The area is contiguous as defined in G.S. 160A-53, to the City's boundary as of the time of the beginning of this annexation proceeding.

(2) The aggregate boundary of the area is 43,765 feet (8.29 miles) of which 37,710 feet (7.14 miles) or more than eighty-six percent (86.2%) coincides with the present city boundary.

(3) No part of the area is included within the boundary of another incorporated municipality.

B. The entire area proposed to be annexed meets the requirements of G.S. 160A-48(c) (1) as follows:

The area qualifies for annexation under the standards of two persons per acre of land as set forth in G.S. 160A-48(c) (1). The area has an estimated total population of 3.02 persons per acre. This estimate is made in accordance with G.S. 160A-54(1). There are 1,245 dwelling units in the area, which when multiplied by the average household size (according to the latest federal decennial census) results in an estimated total resident population of 3,217. This population, when divided by the total number of acres (1,066), results in a population density of 3.02 persons per acre.

Section 3. That it is the purpose and intent of the City of Charlotte, to provide services to the area being annexed under this ordinance, as set forth in the report of plans for services approved by the City Council on the 5th day of May, 1986, and filed in the office of the Clerk for public inspection and as subsequently amended.

Section 4. That the City Council does hereby specifically find and declare that, on the effective date of annexation prescribed in Section 1 hereof, the City of Charlotte will have authority to issue bonds under the provisions of Sub-chapter IV of Chapter 159 of the General Statutes, if necessary, in an amount sufficient to finance the estimated costs of construction of water and sewer facilities found necessary in the report of plans for services to extend the basic water and sewer system into the area to be annexed under this ordinance.

Section 5. That from and after the effective date of this annexation, the territory annexed and its citizens and property shall be subject to all debts, laws, ordinances and regulations in force in the City of Charlotte, and shall be entitled to the same privileges and benefits as other parts of the City.

Section 6. That the newly annexed territory described herein-above shall be subject to City taxes according to G.S. 160A-58.10.

Section 7. That the Mayor of the City of Charlotte shall cause an accurate map of the annexed territory described in Section 1, hereof, together with a duly certified copy of this ordinance, to be recorded in the office of the Register of Deeds of Mecklenburg County, and in the office of the Secretary of State in Raleigh.

August 11, 1986
Ordinance Book 35 - Page 62

Adopted this 11th day of August, 1986.

CITY OF CHARLOTTE

BY: *[Signature]*

Attest:

Pat Sharkey City Clerk

Approved as to form:

Henry W. Underhill, Jr. City Attorney

Read, approved and adopted by the City Council of the City of Charlotte, North Carolina, in regular session convened on the 11th day of August, 1986, the reference having been made in Minute Book 86, page _____, and recorded in full in Ordinance Book 35, pages 60-64.


Pat Sharkey
Pat Sharkey, City Clerk

LEGAL DESCRIPTION**HICKORY GROVE-PENCE ROAD**

BEGINNING at a point in the present Charlotte city limit line, said point being located where a line 40 feet south of and parallel with the centerline of Robinson Church Road (S.R. 2822) intersects with a line 40 feet east of and parallel with the centerline of Market Street, (S.R. 2824); thence leaving the present Charlotte City limit line and running in a southerly direction with the proposed Charlotte city limit line following along a line 40 feet east of and parallel with the centerline of Market Street (S.R. 2824) approximately 955 feet to a point in the centerline of the Norfolk Southern Railroad, said point being located 40 feet east of and normal to the centerline of Market Street (S.R. 2824); thence in an easterly direction and continuing with the proposed Charlotte city limit line following along the centerline of the Norfolk Southern Railroad, approximately 5,060 feet to a point in the present Charlotte city limit line, said point being the northeast corner of lot as described in Deed Book 1650, Page 393; thence in a southerly direction with the present Charlotte city limit line following along a portion of the easterly boundary line of lot as described in said Deed Book 1650, Page 393, as having a bearing of S. 16-51 W., and a distance of approximately 717 feet, crossing Pence Road (S.R. 2820) to a point, said point being located 40 feet south of and normal to the centerline of Pence Road (S.R. 2820); thence in a southeasterly direction with the present Charlotte city limit line following along a line 40 feet west of and parallel with the centerline of Holly Hill Road (S.R. 2863) approximately 704 feet to a point in the northerly boundary line of Lot 1 in Block L of Holly Hill Subdivision No. 2, as shown on recorded Map Book 18, Page 130, said point being located 40 feet west of and normal to the centerline of Holly Hill Road (S.R. 2863); thence in a southwesterly direction with the present Charlotte city limit line following along a portion of the northerly boundary line of Lot 1 in Block L and the northerly boundary line of Lots 3 through 11 in Block L, as shown on said recorded Map Book 18, Page 130, as having a bearing and distance as follows: S. 52-03-00 W., 558.88 feet to a point; thence S. 11-51-55 W., 550.78 feet to a point in the northerly boundary line of Lot 34 in Block L as shown on recorded Map Book 18, Page 207; thence continuing in a southwesterly direction with the present Charlotte city limit line following along the northerly lot lines of Lots 34 through 39 in Block L, crossing Ivy Hollow Drive and following along the northerly lot line of Lot 1 in Block N, as shown on said recorded Map Book 18, Page 207 as having a bearing and distance as follows: S. 11-55-00 W., 24.67 feet to a point; thence S. 71-27-00 W., 753.50 feet to a point; thence S. 72-20-00 W., 74.00 feet to a point, said point being the northwesterly rear corner of Lot 1 in Block N, as shown on said recorded Map Book 18, Page 207; thence in a southerly direction with the present Charlotte city limit line following along the rear lot lines of Lots 1 through 8 in Block N, as shown on recorded Map Book 18, Pages 207 and 264, as having a bearing and distance as follows: S. 62-05-50 E., 41.83 feet; thence S. 36-57-10 E., 30.84 feet; thence S. 7-01-58 E., 28.47 feet; thence S. 3-05-04 E., 79.29 feet; thence S. 19-19-18 E., 51.10 feet; thence S. 12-07-10 E., 99.91 feet; thence S. 10-16-52 E., 74.79 feet; thence S. 2-02-29 E., 47.35 feet; thence S. 6-24-54 E., 80.79 feet; thence S. 20-25-01 E., 26.95 feet to a point, said point being the southwesterly rear corner of Lot 8 in Block N, as shown on said recorded Map Book 18, Page 264; thence in a northeasterly direction with the present Charlotte city limit line following along the southerly lot line of Lot 8 in Block N, crossing Ivy Hollow Drive and following along the southerly lot line of Lot 15 in Block P and the rear lot lines of Lots 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, and 1 in Block P, as shown on recorded Map Book 18, Pages 264 and 263, as having a bearing of N. 81-51-42 E., a total distance of 1429.88 feet to a point, said point being located 40 feet west of and normal to the centerline of Holly Hill Road (S.R. 2863); thence in a southeasterly direction with the present Charlotte City limit line following along a line 40 feet west of and parallel with the centerline of Holly Hill Road (S.R. 2863), approximately 889 feet to a point; thence in an easterly direction with the present Charlotte city limit line 10 feet to a point in the westerly right-of-way margin of Holly Hill Road (S.R. 2863) (dead end); thence in a southeasterly direction with the present Charlotte city limit line following along the easterly boundary line of lot as described in Deed Book 1944, Page 61 in three (3) courses as having a bearing and distance as follows: (1) S. 13-01-30 E., 253.57 feet; thence (2) S. 22-50-45 E., 133.06 feet; thence (3) S. 31-38-30 E., 127.62 feet to a point, said point being the easternmost corner of lot as described in said Deed Book 1944, Page 61, said point also being located approximately 179 feet, measured in a westerly direction from the centerline of Tamora Drive (dead end) lying in the westerly boundary line of Birnam Woods Subdivision, Section No. 6, as shown on recorded Map Book 17, Page 125; thence in a westerly and/or southerly direction with the present Charlotte city limit line following along the northerly boundary line of lot as described in Deed Book 2520, Page 369 in five (5) courses as having a bearing and distance as follows: (1) N. 87-53 W., approximately 445 feet to a point; (2) S. 2-26 W., 400.1 feet to a point; (3) N. 54-35 W., 918 feet to a point; (4) N. 85-25 W., 635 feet to a point; (5) S. 22-02 E., 824 feet to a point, said point being located approximately 35 feet west of the centerline of Almond Road (formerly Shady Lane); thence in a westerly direction with the present Charlotte city limit line following along the rear lot lines of Lots 21, 20, 19, 18, 17, 16, 15, 14, and 13 in Area A and a portion of the rear lot line of Lot 12 in Area A, as shown on recorded Map Book 14, Page 575, as having a bearing of S. 79-29-50 W., a total distance of approximately 1,043 feet to a point, said point being the southeast corner of lot as described in Deed Book 3188, Pages 367 and 368; thence continuing with the present Charlotte city limit line and following along the boundary line of lot as described in said Deed Book 3188, Pages 367 and 368 in seven (7) courses as having a bearing and distance as follows: (1) N. 11-11 W., 200 feet to a point; (2) S. 78-48-10


August 11, 1986
Ordinance Book 35 - Page 64

W., 120 feet to a point; (3) with an arc of a circular curve to the left, having a radius of 266.3 feet, an arc distance of 89.29 feet to a point; (4) S. 10-37-30 W., 38.81 feet to a point; (5) with an arc of a circular curve to the left, having a radius of 648.63 feet, a total distance of 104.62 feet to a point; (6) S. 19-52-00 E., 92.57 feet to a point; (7) S. 74-37-10 E., 179.81 feet to a point in the westerly boundary line of Lot 11 in Area A, as shown on recorded Map Book 14, Page 575; thence in a southerly direction with the present Charlotte city limit line following along a portion of the westerly boundary line of Lot 11 in Area A and the westerly boundary line of Lot 10 in Area A, as shown on recorded Map Book 14, Page 575, as having a bearing of S. 6-51-40 E., a total distance of approximately 285 feet to a point in the northerly boundary line of lot as described in Deed Book 2863, Page 101; thence in a westerly direction with the present Charlotte city limit line following along the northerly boundary line of lot as described in said Deed Book 2863, Page 101, as having a bearing of S. 83-21 W., a distance of approximately 272 feet to a point, said point being located 40 feet east of and normal to the centerline of Martin Lake Road; thence in a northerly direction with the present Charlotte city limit line following along a line 40 feet east of and parallel with the centerline of Martin Lake Road approximately 126 feet to a point; thence in a westerly direction with the present Charlotte city limit line, crossing Martin Lake Road, approximately 70 feet to a point in the northerly right-of-way margin of Kinghurst Drive (S.R. 2997), said point being the southeasterly corner of Lot 18 in Block 1, as shown on recorded Map Book 8, Page 495; thence in a northerly direction with the present Charlotte city limit line following along the easterly boundary line of Lot 18 in Block 1, as shown on said recorded Map Book 8, Page 495 in two (2) courses as having a bearing and distance as follows: (1) with an arc of a circular curve to the right, having a radius of 283 feet, an arc distance of 64.05 feet to a point; (2) N. 7-20-10 W., 142.46 feet to a point, said point being the northeasterly rear corner of Lot 18 in Block 1; thence in a westerly direction with the present Charlotte city limit line following along the rear lot line of Lot 18 in Block 1 and a portion of the rear lot line of Lot 17 in Block 1, as shown on said recorded Map Book 8, Page 495, as having a bearing of S. 77-13-20 W., 111 feet to a point; thence S. 78-06-40 W., a distance of approximately 16 feet to a point; thence in a northerly direction with the present Charlotte city limit line following along a portion of the rear lot line of Lot 23 in Block 2 and the rear lot lines of Lots 24, 25, and 26 in Block 2, as shown on recorded Map Book 1844, Page 511, as having a bearing of N. 1-18-20 E., a total distance of 537.52 feet to a point in the southerly right-of-way margin of Glencannon Drive, said point being the northeast corner of Lot 26 in Block 2, as shown on said recorded Map Book 1844, Page 511; thence continuing in a northerly direction with the present Charlotte city limit line, approximately 50 feet to a point in the northerly right-of-way margin of Glencannon Drive; thence in a northerly direction with the present Charlotte city limit line following along the easterly boundary line of Lot 20 in Block 4, as shown on recorded Map Book 11, Page 123, as having a bearing and distance of N. 11-18-20 E., 214.65 feet to a point, said point being the northeast rear corner of Lot 20 in Block 4; thence in a southwesterly direction with the present Charlotte city limit line following along the rear lot lines of Lots 20 through 5 in Block 4, the northerly boundary line of Lots 3 and 2 in Block 4A, Lot 1 in Block 8, as shown on recorded Map Book 11, Page 123 and recorded Map Book 14, Page 405, as having a bearing of S. 89-21-20 W., a total distance of 2,288.51 feet to a point, said point being the northwest corner of Lot 1 in Block 8, as shown on said recorded Map Book 14, Page 405; thence in a westerly direction with the present Charlotte city limit line following along the easterly boundary line of lot as described in Deed Book 3644, Page 157, in two (2) courses as having a bearing and distance as follows: (1) S. 88-03-07 W., 200.56 feet to a point; (2) N. 12-02-10 W., approximately 1,140 feet to a point, said point being located 40 feet east of and normal to the centerline of Delta Road (S.R. 2853); thence in a northerly direction with the present Charlotte city limit line following along a line 40 feet east of and parallel with the centerline of Delta Road (S.R. 2853), crossing Trysting Road (S.R. 2864) approximately 3,040 feet to a point of intersection with the southerly right-of-way margin of Pence Road (S.R. 2820); thence continuing in a northerly direction with the present Charlotte city limit line following along a line 40 feet east of and parallel with the centerline of Delta Road, approximately 70 feet crossing Pence Road (S.R. 2820) to a point, said point being located 40 feet north of and normal to the centerline of Pence Road (S.R. 2820) and 40 feet east of and normal to the centerline of Newell-Hickory Grove Road (S.R. 2853); thence in a westerly direction with the present Charlotte city limit line following along a line 40 feet north of and parallel with the centerline of Hickory Grove Road (S.R. 2820) approximately 5,856 feet crossing Newell-Hickory Grove Road (S.R. 2853), Hobbs Hill Road, Gaynelle Drive, Hickory Woods Lane and Craigwood Drive to a point, said point being located approximately 170 feet east of the centerline of Shamrock Drive; thence in a northwesterly direction and continuing with the present Charlotte city limit line N. 6-00-00 W., approximately 2,652 feet, crossing Sharon Amity Road to a point, said point being the southernmost corner of Lot 17 of Alexander Place, as shown on recorded Map Book 20, Page 71; thence in a northeasterly direction and continuing with the present Charlotte city limit line following along the easterly rear boundary line of Lots 17, 16, 15, 14, 13, 12, 11, and 10 of Alexander Place, as shown on said recorded Map Book 20, Page 71, as having a bearing and distance as follows: N. 38-30-00 E., 170.0 feet to a point; thence N. 4-07-15 E., 641.55 feet, crossing the southerly right-of-way margin of the Norfolk Southern Railroad to a point in the centerline of the Norfolk Southern Railroad; thence continuing with the present Charlotte city limit line in an easterly direction following along the centerline of the Norfolk Southern Railroad, approximately 6,006 feet crossing Sharon Amity Road and Newell-Hickory Grove Road (S.R. 2853) to a point, said point being located 40 feet east of and normal to the centerline of Newell-Hickory Grove Road (S.R. 2853); thence in a northerly direction and continuing with the present Charlotte city limit line following along a line 40 feet east of and parallel with the centerline of Newell-Hickory Grove Road (S.R. 2853), approximately 2,010 feet to a point, said point being located 40 feet south of and normal to the centerline of Robinson Church Road (S.R. 2822); thence in an easterly direction and continuing with the present Charlotte city limit line following along a line 40 feet south of and parallel with the centerline of Robinson Church Road (S.R. 2822), approximately 3,190 feet, crossing Market Street (S.R. 2824) to the point or place of Beginning.



Hickory Grove/Pence Road

Present and Proposed Boundaries



This page not
used —

August 11, 1986
Ordinance Book 35 - Page 65

ORDINANCE NO. 2010-X

TARAGATE FARMS/ARROWOOD AREA

AN ORDINANCE TO EXTEND THE CORPORATE LIMITS OF THE CITY OF CHARLOTTE, UNDER THE AUTHORITY GRANTED BY PART 3, ARTICLE 4A, CHAPTER 160A OF THE GENERAL STATUTES OF NORTH CAROLINA.

WHEREAS, all of the prerequisites to adoption of this ordinance prescribed in Part 3, Article 4A, Chapter 160A of the General Statutes of North Carolina, have been met; and

WHEREAS, the City Council has taken into full consideration the statements presented at the public hearing held on the 12th day of June, 1986, on the question of this annexation; and

WHEREAS, the City Council has concluded and hereby declares that annexation of the area described herein is necessary to the orderly growth and development of the City of Charlotte.

NOW, THEREFORE, BE IT ORDAINED by the City Council of the City of Charlotte, North Carolina:

Section 1. That from and after the 30th day of June, 1987, the effective date of this annexation, the following territory shall be annexed to and become a part of the City of Charlotte, and the corporate limits of the City of Charlotte shall on said 30th day of June, 1987 be extended to include said territory more particularly described by metes and bounds set forth in Exhibit A, attached hereto and specifically incorporated as a part of this ordinance.

Section 2. That the City Council does hereby specifically find and declare that the above-described territory meets the requirements of G.S. 160A-48, in that:

A. The Area proposed to be annexed meets the general standards of G.S. 160A-48(b) as follows:

(1) The area is contiguous as defined in G.S. 160A-53, to the City's boundary as of the time of the beginning of this annexation proceeding.

(2) The aggregate boundary of the area is 56,289 feet (10.66 miles) of which 12,227 feet (2.32 miles) or more than twenty-one percent (21.7%) coincides with the present city boundary.

(3) No part of the area is included within the boundary of another incorporated municipality.

August 11, 1986
Ordinance Book 35 - Page 66

B. The entire area proposed to be annexed meets the requirements of G.S. 160A-48(c)(1) as follows:

The area qualifies for annexation under the standards of two persons per acre of land as set forth in G.S. 160A-48(c)(1). The area has an estimated total population of 2.20 persons per acre. This estimate is made in accordance with G.S. 160A-54(1). There are 754 dwelling units in the area, which when multiplied by the average household size (according to the latest federal decennial census) results in an estimated total resident population of 2,335. This population, when divided by the total number of acres (1,055), results in a population density of 2.20 persons per acre.

Section 3. That it is the purpose and intent of the City of Charlotte, to provide services to the area being annexed under this ordinance, as set forth in the report of plans for services approved by the City Council on the 5th day of May, 1986, and filed in the office of the Clerk for public inspection and as subsequently amended.

Section 4. That the City Council does hereby specifically find and declare that, on the effective date of annexation prescribed in Section 1 hereof, the City of Charlotte will have authority to issue bonds under the provisions of Sub-chapter IV of Chapter 159 of the General Statutes, if necessary, in an amount sufficient to finance the estimated costs of construction of water and sewer facilities found necessary in the report of plans for services to extend the basic water and sewer system into the area to be annexed under this ordinance.

Section 5. That from and after the effective date of this annexation, the territory annexed and its citizens and property shall be subject to all debts, laws, ordinances and regulations in force in the City of Charlotte, and shall be entitled to the same privileges and benefits as other parts of the City.

Section 6. That the newly annexed territory described herein-above shall be subject to City taxes according to G.S. 160A-58.10.

Section 7. That the Mayor of the City of Charlotte shall cause an accurate map of the annexed territory described in Section 1, hereof, together with a duly certified copy of this ordinance, to be recorded in the office of the Register of Deeds of Mecklenburg County, and in the office of the Secretary of State in Raleigh.

August 11, 1986
Ordinance Book 35 - Page 67

Adopted this 11th day of August, 1986.

CITY OF CHARLOTTE

BY: *James B. [Signature]*

Attest:

Pat Sharkey City Clerk

Approved as to form:

Henry W. Chadwell Jr City Attorney

Read, approved and adopted by the City Council of the City of Charlotte, North Carolina, in regular session convened on the 11th day of August, 1986, the reference having been made in Minute Book 86, page , and recorded in full in Ordinance Book 35, pages 65-70.

Pat Sharkey
Pat Sharkey, City Clerk


LEGAL DESCRIPTION**TARRAGATE FARMS - ARROWOOD PHASE I**

BEGINNING at a point in the present Charlotte City Limit line, said point being located where the extension of a line 40 feet south of and parallel with the centerline of Arrowood Road (SR 1138) intersects with a line 85 feet west of and parallel with the centerline of York Road (NC 49) and running thence in an easterly or southeasterly direction with the present Charlotte City Limit line, crossing York Road (NC 49) and following along a line 40 feet south of and parallel with the centerline of Arrowood Road (SR 1138) approximately 5,436 feet to a point, said point being where a line 40 feet south of and parallel with the centerline of Arrowood Road (SR 1138) intersects with the centerline of Big Sugar Creek; thence in a southerly direction with the present Charlotte City Limit line, meandering with the centerline of Big Sugar Creek a distance of approximately 6,800 feet to a point, said point being the southeasterly corner of lot as described in Deed Book 2749, page 539; thence leaving the present Charlotte City Limit line and running in a southwesterly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 2749, page 539 as having a bearing and distance of S65-54W. approximately 2,738 feet to a point, said point being located 40 feet east of and normal to the centerline of Continental Boulevard (SR 1318); thence in a northwesterly direction with the proposed Charlotte City Limit line following along a line 40 feet east of and parallel with the centerline of Continental Boulevard (SR 1318) approximately 182 feet to a point; thence in a southwesterly direction continuing with the proposed Charlotte City Limit line, crossing Continental Boulevard (SR 1318) and following along the northerly line of lot as described in Deed Book 4858, page 863 as having a bearing and distance of S67-00-51W. approximately 587 feet to a point in the northeasterly right-of-way margin of the Southern Railroad (50 foot right-of-way); thence in a northwesterly direction with the proposed Charlotte City Limit line following along the northeasterly right-of-way margin of the Southern Railroad approximately 528 feet to a point, said point being where the northeasterly right-of-way margin of the Southern Railroad intersects with the northerly line (if extended) of lot as described in Deed Book 4496, page 612; thence in a southwesterly direction with the proposed Charlotte City Limit line, crossing the Southern Railroad and following along the northerly line of lot as described in said Deed Book 4496, page 612 as having a bearing and distance of S65-28-00W. approximately 346 feet to a point, said point being the northeasterly corner of lot as described in Deed Book 2607, page 491; thence continuing in a southwesterly direction with the proposed Charlotte City Limit line, following along the northerly line of lot as described in said Deed Book 2607, page 491 as having a bearing and distance of S65-54W. approximately 830 feet to a point, said point being located 60 feet east of and normal to the centerline of Westinghouse Boulevard (SR 1128); thence in a northerly direction with the proposed Charlotte City Limit line following along a line 60 feet east of and parallel with the centerline of Westinghouse Boulevard (SR 1128) approximately 440 feet to a point, said point being located where a line 60 feet east of and parallel with the centerline of Westinghouse Boulevard (SR 1128) intersects with the southerly line of lot as described in Deed Book 5090, page 189; thence in an easterly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 5090, page 189 as having a bearing and distance of N65-54E. approximately 1,200 feet, crossing the Southern Railroad to a point in the northeasterly right-of-way margin of the Southern Railroad (50 foot right-of-way); thence in a northwesterly direction with the proposed Charlotte City Limit line following along the northeasterly right-of-way margin of the Southern Railroad and crossing Pioneer Avenue (SR 1318) approximately 1,070 feet to a point, said point being 40 feet north of and normal to the centerline of Pioneer Avenue (SR 1318); thence in a southwesterly direction with the proposed Charlotte City Limit line following along a line 40 feet north of and parallel with the centerline of Pioneer Avenue (SR 1318) approximately 1,220 feet to a point, said point being where a line 40 feet north of and parallel with the centerline of Pioneer Avenue (SR 1318) intersects with a line 60 feet northeast of and parallel with the centerline of Westinghouse Boulevard (SR 1128); thence in a westerly direction with the proposed Charlotte City Limit line following along a line 60 feet northeast and/or north of and parallel with the centerline of Westinghouse Boulevard (SR 1128) approximately 564 feet to a point, said point being in the westerly line of lot as described in Deed Book 2710, page 535; thence in a northeasterly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 2710, page 535 as having a bearing and distance of N26-38-30E. approximately 642 feet to a point, said point being the southwesterly corner of lot as described in Deed Book 4869, page 829; thence in a northerly direction with the proposed Charlotte City Limit line following along a portion of the westerly line of lot as described in said Deed Book 4869, page 829 as having a bearing and distance as follows: N07-59-00W. 382.41 feet to a point; thence N06-13-00W. 264.34 feet to a point, said point being the northeasterly corner of lot as described in Deed Book 4177, page 474; thence in a westerly direction with the proposed Charlotte City Limit line following along the northerly line of lot as described in said Deed Book 4177, page 474 as having a bearing and distance of N59-28-45W. approximately 285 feet to a point, said point being 60 feet southeast of and normal to the centerline of York Road (NC 49); thence in a southwesterly direction with the proposed Charlotte City Limit line following along a line 60 feet southeast of and parallel with the centerline of York Road (NC 49) approximately 320 feet to a point, said point being located where a line 60 feet southeast of and parallel with the centerline of York Road (NC 49) intersects with the northerly line of Tract 1 as shown on recorded Map Book 9, page 537 (if extended); thence in a northwesterly direction with the proposed Charlotte City Limit line, crossing York Road (NC 49), and following along the northerly line of Tract 1 and Tract 2 as shown on said recorded Map Book 9,

page 537 as having a bearing and distance of N20-18-30W. approximately 995 feet to a point; thence in a southwesterly direction with the proposed Charlotte City Limit line following along the westerly line of Tract 2 as shown on said recorded Map Book 9, page 537 as having a bearing and distance of S53-54W. approximately 382 feet to a point, said point being located 70 feet northeast of and normal to the northerly line of Tract 9, said point also being located 40 feet northeast of and normal to the centerline of an unnamed road being 60 feet in width as shown on said recorded Map Book 9, page 537; thence in a northwesterly direction with the proposed Charlotte City Limit line following along a line 70 feet northeast of and parallel with the northerly lines of Tract 9, 8, 7 and being 40 feet northeast of and parallel with the centerline of said unnamed road, 60 feet in width, approximately 1,370 feet, crossing another unnamed road being 60 feet in width (not open), to a point, said point being 40 feet northwest of and normal to the centerline of said unnamed road, 60 feet in width (not open); thence in a southwesterly direction with the proposed Charlotte City Limit line, following along a line 40 feet northwest of and parallel with the centerline of a 60 foot unnamed road (not open) approximately 393 feet to a point, said point being located where a line 40 feet northwest of and parallel with the centerline of a 60 foot unnamed road (not open) intersects with the easterly line (if extended) of lot as described in Deed Book 3988, page 543; thence in a southerly direction with the proposed Charlotte City Limit line, crossing a 60 foot unnamed road (not open) and following along the easterly line of lot as described in said Deed Book 3988, page 543 as having a bearing and distance of S3-30E. approximately 249 feet to a point; thence in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 3988, page 543 as having a bearing and distance of S80-11W. 208.75 feet to a point; thence in a northerly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 3988, page 543 as having a bearing and distance of N3-30W. 208.75 feet to a point, said point being in the southerly line of Lot 9 in Block A as shown on recorded Map Book 2369, page 197; thence in a westerly direction with the proposed Charlotte City Limit line following along a portion of the southerly line of Lot 9 in Block A and the southerly line of Lot 10 in Block A as shown on said recorded Map Book 2369, page 197 as having a bearing and distance of S79-56W. approximately 141 feet to a point, said point being the southeasterly corner of lot as described in Deed Book 3882, page 367; thence continuing in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 3882, page 367 as having a bearing and distance as follows: S79-56W. 220.91 feet to a point; thence S86-37W. 59.64 feet to a point, said point being the southeasterly corner of Lot 3 in Block 1 as shown on recorded Map Book 15, page 385; thence continuing in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of Lot 3 in Block 1, and the southerly line of Lot 24 in Block 2, crossing Southbourne Road, as shown on said recorded Map Book 15, page 385 as having a bearing and distance of N89-57-50W. 516.37 feet to a point, said point being the southwest corner of Lot 24 in Block 2 as shown on said recorded Map Book 15, page 385; thence in a northerly direction with the proposed Charlotte City Limit line following along the westerly line of Lots 24 and 23 in Block 2 as shown on said recorded Map Book 15, page 385 as having a bearing and distance of N17-20E. 165.47 feet to a point; thence in a westerly direction with the proposed Charlotte City Limit line following along a portion of the southerly line of Lot 21 and the southerly line of Lots 20 through 17 in Block 2 as shown on said recorded Map Book 15, page 385 as having a bearing and distance of N88-56-30W. 482.00 feet to a point, said point being the southeasterly corner of lot as described in Deed Book 3942, page 318; thence continuing in a westerly direction with the proposed Charlotte City Limit line and following along the southerly line of lot as described in said Deed Book 3942, page 318 as having a bearing and distance of N88-56-30W. 68.86 feet to a point, said point being the southeasterly corner of Lot 36 in Block 1 as shown on recorded Map Book 17, page 181; thence continuing in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of Lot 36 in Block 1 and the southerly line of Lot 1 in Block 5, crossing O'Hara Drive, as shown on said recorded Map Book 17, page 181 as having a bearing and distance of N88-56-30W. 406.18 feet to a point, said point being the southeasterly corner of Lot 2 in Block 5 as shown on recorded Map Book 17, page 321; thence continuing in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of Lots 2 through 12 in Block 5 as shown on said recorded Map Book 17, page 321 as having a bearing and distance of N88-56-30W. 980.0 feet to a point, said point being the southeasterly corner of Lot 13 in Block 5 as shown on recorded Map Book 20, page 471; thence continuing in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of Lots 13 through 20 in Block 5, and the southerly line of Lots 39 and 38 in Block 20, crossing Antebellum Drive, as shown on said recorded Map Book 20, page 471 as having a bearing and distance of S79-40-36W. approximately 1,015 feet to a point; thence in a northwesterly direction with the proposed Charlotte City Limit line following along the westerly line of Lots 38 through 28 in Block 20 as shown on said recorded Map Book 20, page 471 as having a bearing and distance of N23-21-59W. 1,157.09 feet to a point, said point being the southwest corner of Lot 1 in Block 20 as shown on recorded Map Book 18, page 280; thence in a northerly direction with the proposed Charlotte City Limit line following along the westerly line of Lots 1 through 10 in Block 20 as shown on said recorded Map Book 18, page 280 as having a bearing and distance of N12-30E. 1,052.79 feet to a point, said point being the southwest corner of Lot 11 in Block 20 as shown on recorded Map Book 19, page 131; thence continuing in a northerly direction with the proposed Charlotte City Limit line following along the westerly line of Lots 11 through 22 in Block 20 as having a bearing and distance as follows: N12-30E. 397.21 feet to a point; thence N3-50E. 300.00 feet to a point; thence N5-30W. 263.16 feet to a point, said point being the southwest corner of Lot 23 in Block 20 as shown on recorded Map Book 19, page 328; thence continuing in a northerly direction with the proposed Charlotte City Limit line following along the westerly line of Lots 23 and 24 in Block 20, and the westerly line of Lots 25 through 18 in Block 13, crossing Red Hickory Lane as shown on said recorded Map Book 19, page 328 as having a bearing and distance as follows: N6-22-08W. 248.02 feet to a point; thence N00-47-46W.


August 11, 1986
Ordinance Book 35 - Page 70

260.39 feet to a point; thence N9-47-04E. 408.10 feet to a point; thence in a northeasterly direction with the proposed Charlotte City Limit line following along the northerly line of Lots 18 through 9 in Block 13 as shown on said recorded Map Book 19, page 328 as having a bearing and distance as follows: N65-56-50E. 496.30 feet to a point; thence N53-08-40E. 165.29 feet to a point; thence N89-53-50E. 409.10 feet to a point; thence N49-29-50E. 117.67 feet to a point, said point being the northwesterly corner of Lot 26 in Block 13 as shown on recorded Map Book 19, page 427; thence continuing in a northeasterly direction with the proposed Charlotte City Limit line following along the westerly line of Lot 26 in Block 13 and the westerly line of Lot 15 in Block 16, crossing Meadhaven Drive, as shown on said recorded Map Book 19, page 427 as having a bearing and distance as follows: N46-41-10E. 125.98 feet to a point; thence N43-58-20E. 165.06 feet to a point; thence in an easterly direction with the proposed Charlotte City Limit line following along the northerly line of Lots 15 through 9 in Block 16 as shown on said recorded Map Book 19, page 427 as having a bearing and distance as follows: S78-52-20E. 398.48 feet to a point; thence S86-16-20E. 296.34 feet to a point; thence S89-17-40E. 70.35 feet to a point, said point being the northwesterly corner of Lot 1 in Block 16 as shown on recorded Map Book 17, page 286; thence in an easterly direction with the proposed Charlotte City Limit line following along the northerly line of Lot 1 in Block 16 as shown on said recorded Map Book 17, page 286 as having a bearing and distance of S89-17-40E. 190.0 feet to a point, said point being in the westerly right-of-way margin of Mapleton Road; thence continuing in an easterly direction with the proposed Charlotte City Limit line, crossing Mapleton Road approximately 60 feet to a point, said point being the northwesterly corner of Lot 7 in Block 17 as shown on said recorded Map Book 17, page 286; thence continuing in an easterly direction with the proposed Charlotte City Limit line following along the northerly line of Lots 7 and 6 in Block 17 as shown on said recorded Map Book 17, page 286 as having a bearing and distance of N84-51-50E. approximately 436 feet, crossing Sandy Porter Road (SR 1142) to a point, said point being 10 feet east of and normal to the easterly right-of-way margin of Sandy Porter Road (SR 1142); thence in a southerly direction with the proposed Charlotte City Limit line following along a line 10 feet east and/or northeast of and parallel with the easterly right-of-way margin of Sandy Porter Road (SR 1142) approximately 6,355 feet to a point, said point being in the southerly line of lot as described in Deed Book 2950, page 200; thence in a northeasterly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 2950, page 200 as having a bearing and distance of N33-59E. approximately 211 feet to a point, said point being in the southerly line of lot as described in Deed Book 4254, page 199; thence continuing in a northeasterly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 4254, page 199 as having a bearing and distance as follows: N36-56-30E. 233.59 feet to a point; thence N34-08E. 125.0 feet to a point; thence N55-38-30W. 19.0 feet to a point; thence N38-54-30E. 133.12 feet to a point; thence N9-51E. 73.11 feet to a point; thence N39-45E. 122.80 feet to a point; thence N48-23E. 124.95 feet to a point; thence S41-37E. approximately 446 feet, crossing York Road (NC 49), to a point, said point being 60 feet south of and normal to the centerline of York Road (NC 49); thence in a southwesterly direction with the proposed Charlotte City Limit line following along a line 60 feet south of and parallel with the centerline of York Road (NC 49) approximately 170 feet to a point, said point being in the westerly line of Tract 1 as described in Deed Book 4796, page 579; thence in a southerly direction with the proposed Charlotte City Limit line following along the westerly line of Tract 1 and Tract 2 as described in said Deed Book 4796, page 579 as having a bearing and distance as follows: S50-00E. approximately 225 feet to a point; thence S40-00W. 186.33 feet to a point; thence S65-40-58E. 318.05 feet to a point; thence S65-41-35E. 506.56 feet to a point; thence in a northeasterly direction with the proposed Charlotte City Limit line following along the southerly line of Tract 1 and Tract 2 as described in said Deed Book 4796, page 579 as having a bearing and distance as follows: N67-13-55E. 304.10 feet to a point; thence N35-43-41E. 317.86 feet to a point, said point being in or near the centerline of a branch of Coffey Creek; thence in an easterly direction with the proposed Charlotte City Limit line meandering with the centerline of a branch of Coffey Creek approximately 3,800 feet to a point, said point being located at the confluence of the centerline of Coffey Creek and a branch of Coffey Creek; thence in a northerly direction with the proposed Charlotte City Limit line meandering with the centerline of Coffey Creek approximately 4,800 feet, crossing York Road (NC 49) to a point, said point being 85 feet west of and normal to the centerline of York Road (NC 49); thence in a northeasterly direction with the proposed Charlotte City Limit line following along a line 85 feet west of and parallel with the centerline of York Road (NC 49) approximately 500 feet to the point or place of Beginning.



Taragate Farms/Arrowood

Present and Proposed Boundaries



This page not

used —

August 11, 1986
Ordinance Book 35 - Page 71

ORDINANCE NO. 2011-X

OAKDALE AREA

AN ORDINANCE TO EXTEND THE CORPORATE LIMITS OF THE CITY OF CHARLOTTE, UNDER THE AUTHORITY GRANTED BY PART 3, ARTICLE 4A, CHAPTER 160A OF THE GENERAL STATUTES OF NORTH CAROLINA.

WHEREAS, all of the prerequisites to adoption of this ordinance prescribed in Part 3, Article 4A, Chapter 160A of the General Statutes of North Carolina, have been met; and

WHEREAS, the City Council has taken into full consideration the statements presented at the public hearing held on the 12th day of June, 1986, on the question of this annexation; and

WHEREAS, the City Council has concluded and hereby declares that annexation of the area described herein is necessary to the orderly growth and development of the City of Charlotte.

NOW, THEREFORE, BE IT ORDAINED by the City Council of the City of Charlotte, North Carolina:

Section 1. That from and after the 30th day of June, 1987, the effective date of this annexation, the following territory shall be annexed to and become a part of the City of Charlotte, and the corporate limits of the City of Charlotte shall on said 30th day of June, 1987 be extended to include said territory more particularly described by metes and bounds set forth in Exhibit A, attached hereto and specifically incorporated as a part of this ordinance.

Section 2. That the City Council does hereby specifically find and declare that the above-described territory meets the requirements of G.S. 160A-48, in that:

- A. The Area proposed to be annexed meets the general standards of G.S. 160A-48(b) as follows:
 - (1) The area is contiguous as defined in G.S. 160A-53, to the City's boundary as of the time of the beginning of this annexation proceeding.
 - (2) The aggregate boundary of the area is 77,680 feet (14.71 miles) of which 17,847 feet (3.38 miles) or more than twenty-two percent (22.9%) coincides with the present city boundary.
 - (3) No part of the area is included within the boundary of another incorporated municipality.

August 11, 1986
Ordinance Book 35 - Page 72

B. The entire area proposed to be annexed meets the requirements of G.S. 160A-48(c)(2) as follows:

The area qualifies for annexation under the standards of at least one person for each acre of land and is subdivided in a manner that conforms with the requirements of G.S. 160A-48(c)(2). There are a total number of 622 lots and tracts within the area, and of that number there are 501 lots and tracts of one acre or less in size, which equals 80.5% of the total. Furthermore, there are a total of 712.9 acres (excluding streets) in the proposed area, and of that number 447.8 acres consist of lots and tracts of five acres or less in size, which represents 62.8% of the total acreage. Finally, in accordance with the provisions of G.S. 160A-54(1), the proposed area has an estimated total population of 1.60 persons per acre. There are 490 dwelling units in the area, which when multiplied by the average household size (according to the latest federal decennial census) results in an estimated total resident population of 1,266. This population, when divided by the total number of acres (791.3), results in a population density of 1.60 persons per acre.

C. The entire area proposed to be annexed also meets the requirements of G.S. 160A-48(c)(3) as follows:

The area qualifies under the standards of use and subdivision as set forth in G.S. 160A-48(c)(3). There are a total number of 622 lots and tracts within the area, and of that number 466 or 74.9% of the total number of lots and tracts, are used for residential, commercial, industrial, institutional, or governmental purposes. Furthermore, after excluding the acreage used for commercial, industrial, governmental, or institutional purposes, 597.0 acres remain. Of that acreage, 438.8 acres or 73.5% are in lots or tracts five acres or less in size.

Section 3. That it is the purpose and intent of the City of Charlotte, to provide services to the area being annexed under this ordinance, as set forth in the report of plans for services approved by the City Council on the 5th day of May, 1986, and filed in the office of the Clerk for public inspection and as subsequently amended.

Section 4. That the City Council does hereby specifically find and declare that, on the effective date of annexation prescribed in Section 1 hereof, the City of Charlotte will have authority to issue bonds under the provisions of Sub-chapter IV of Chapter 159 of the General Statutes, if necessary, in an amount sufficient to finance the estimated costs of construction of water and sewer facilities found necessary in the report of plans for

August 11, 1986
Ordinance Book 35 - Page 73

services to extend the basic water and sewer system into the area to be annexed under this ordinance.

Section 5. That from and after the effective date of this annexation, the territory annexed and its citizens and property shall be subject to all debts, laws, ordinances and regulations in force in the City of Charlotte, and shall be entitled to the same privileges and benefits as other parts of the City.

Section 6. That the newly annexed territory described herein-above shall be subject to City taxes according to G.S. 160A-58.10.

Section 7. That the Mayor of the City of Charlotte shall cause an accurate map of the annexed territory described in Section 1, hereof, together with a duly certified copy of this ordinance, to be recorded in the office of the Register of Deeds of Mecklenburg County, and in the office of the Secretary of State in Raleigh.

Adopted this 11th day of August, 1986.

CITY OF CHARLOTTE

BY: *[Signature]*

Attest:

[Signature] City Clerk

Approved as to form:

[Signature] City Attorney

Read, approved and adopted by the City Council of the City of Charlotte, North Carolina, in regular session convened on the 11th day of August, 1986, the reference having been made in Minute Book 86, page , and recorded in full in Ordinance Book 35, pages 71-82.

[Signature]
Pat Sharkey, City Clerk

LEGAL DESCRIPTION**OAKDALE**

BEGINNING at a point in the present Charlotte City Limit line, said point being located where the southerly right-of-way margin of Black Satchel Drive intersects with the northerly boundary line of lot as described in Deed Book 3636, page 345, and running thence in a southwesterly direction with the present Charlotte City Limit line following along a portion of the northerly boundary line of lot as described in said Deed Book 3636, page 345 S. 60-01-30 W. approximately 10 feet to a point, said point being located 40 feet southwest of and normal to the centerline of Black Satchel Drive; thence leaving the present Charlotte City Limit line and running in a northwesterly direction with the proposed Charlotte City Limit line following along a line 40 feet southwest of and parallel with the centerline of Black Satchel Drive approximately 2,523 feet to a point, said point being located where a line 40 feet southwest of and parallel with the centerline of Black Satchel Drive intersects with the southerly line of Tracts II and I as described in Deed Book 2234, page 530; thence in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of Tracts II and I as described in said Deed Book 2234, page 530 as having a bearing and distance of S. 71-37 W. approximately 273 feet to a point, said point being in the easterly line of lot as described in Deed Book 4003, page 397; thence in a southerly direction with the proposed Charlotte City Limit line following along a portion of the easterly line of lot as described in said Deed Book 4003, page 397 as having a bearing and distance of due south approximately 246 feet to a point, said point being a corner of lot as described in Deed Book 3354, page 285; thence in a westerly direction with the proposed Charlotte City limit line following along the northerly line of lot as described in said Deed Book 3354, page 285 as having a bearing and distance of S. 71-35 W. 772.73 feet to a point, said point being in the easterly line of lot as described in Deed Book 958, page 193; thence in a southerly direction with the proposed Charlotte City Limit line following along a portion of the easterly line of lot as described in said Deed Book 958, page 193 as having a bearing and distance of S. 7-30 E. approximately 340 feet to a point; thence in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 958, page 193 as having a bearing and distance of S. 7-30 W. 160 feet to a point; thence in a northerly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 958, page 193 as having a bearing and distance of N. 7-30 W. approximately 792 feet to a point, said point being located 40 feet south of and normal to the centerline of Auten Road (SR 2020); thence in a westerly direction with the proposed Charlotte City Limit line following along a line 40 feet south of and parallel with the centerline of Auten Road (SR 2020) approximately 420 feet to a point, said point being located in the southeasterly right-of-way margin of Oakdale Road (SR 2019); thence in a westerly direction crossing Oakdale Road (SR 2019) approximately 70 feet to a point, said point being located 40 feet northwest of and normal to the centerline of Oakdale Road (SR 2019); thence in a northerly direction with the proposed Charlotte City Limit line following along a line 40 feet west of and parallel with the centerline of Oakdale Road (SR 2019) approximately 2,162 feet to a point, said point being in the northerly line of lot as described in Deed Book 1808, page 529; thence in a westerly direction with the proposed Charlotte City Limit line following along the northerly line of lot as described in said Deed Book 1808, page 529 as having a bearing and distance of N. 88 W. approximately 270 feet to a point, said point being the southeasterly corner of Lot 7 as shown on recorded Map Book 4, page 335; thence in a northeasterly direction with the proposed Charlotte City Limit line following along a portion of the easterly line of Lot 7 as shown on said recorded Map Book 4, page 335 as having a bearing and distance as follows: N. 20-15 E. 401 feet to a point; thence N. 32 E. approximately 60 feet to a point, said point being a corner of lot as described in Deed Book 2239, page 24; thence in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 2239, page 24 as having a bearing and distance as follows: N. 45-30 W. 128.24 feet to a point; thence S. 56-30-15 W. 250.62 feet to a point; thence N. 33-29-45 W. 261.11 feet to a point, said point being in the southerly line of lot as described in Deed Book 2246, page 509; thence in a southwesterly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 2246, page 509 as having a bearing and distance of S. 56-30-15 W. 253.09 feet to a point, said point being the southwesterly corner of lot as described in said Deed Book 2246, page 509; thence in a northwesterly direction with the proposed Charlotte City Limit line following along a portion of the westerly line of lot as described in said Deed Book 2246, page 509 as having a bearing and distance of N. 37-35-50 W. approximately 335 feet to a point, said point being located in the centerline of a branch, said point also being the southeasterly corner of lot as described in Deed Book 2279, page 370; thence in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 2279, page 370 as having a bearing and distance of N. 76-15-10 W. 269.88 feet to a point, said point being in the southerly line of Lot 16 as shown on recorded Map Book 7, page 199; thence in a westerly direction with the proposed Charlotte City Limit line following along a portion of the southerly line of Lot 16, the southerly line of Lot 15, and a portion of the southerly line of Lot 14 as shown on said recorded Map Book 7, page 199 as having a bearing and distance as follows: S. 37-52 W. approximately 117 feet to a point; thence N. 86-23 W. approximately 244 feet to a point, said point being the northeasterly corner of lot as described in Deed Book 2974, page 281; thence in a southerly direction with the proposed Charlotte City Limit line following along the easterly line of lot as described in said Deed Book 2974, page 281 as having a bearing and distance as follows: S. 24-50 E. 277.96 feet to a point; thence S. 32-22-30 W. 115.36 feet to a point; thence

August 11, 1986
Ordinance Book 35 - Page 75

in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 2974, page 281 as having a bearing and distance as follows: N. 87-32 W. 207.0 feet to a point; thence S. 2-28 W. 204.87 feet to a point; thence N. 87-32 W. 237.78 feet to a point, said point being located in the easterly terminus of Dale Avenue (SR 2024); thence in a southerly direction with the proposed Charlotte City Limit line following along the easterly terminus of Dale Avenue (SR 2024) approximately 20 feet to a point, said point being located 40 feet south of and normal to the centerline of Dale Avenue (SR 2024); thence in a westerly direction with the proposed Charlotte City Limit line following along a line 40 feet south and/or easterly of and parallel with the centerline of Dale Avenue (SR 2024) approximately 1,137 feet to a point, said point being located where a line 40 feet south of and parallel with the centerline of Dale Avenue (SR 2024) intersects with the westerly line of lot (if extended) as described in Deed Book 2605, page 10; thence in a northerly direction with the proposed Charlotte City Limit line, crossing Dale Avenue (SR 2024) and following along the westerly line of lot as described in said Deed Book 2605, page 10 as having a bearing and distance of N. 2-40 E. approximately 290 feet to a point, said point being the southwesterly corner of lot as described in said Deed Book 2605, page 10; thence in an easterly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 2605, page 10 as having a bearing and distance of S. 89-30 W. 283.70 feet to a point; thence in a northerly direction with the proposed Charlotte City Limit line following along the easterly line of lot as described in said Deed Book 2605, page 10 as having a bearing and distance of N. 00-50 W. 617.46 feet to a point, said point being the northwesterly corner of Lot 5 in Block 3 as shown on recorded Map Book 7, page 763; thence in an easterly direction with the proposed Charlotte City Limit line following along the northerly line of Lot 5 in Block 3 as shown on said recorded Map Book 7, page 763 as having a bearing and distance of S. 88-30-30 E. 355.0 feet to a point, said point being the southwesterly corner of lot as described in Deed Book 3932, page 995; thence in a northerly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 3932, page 995 as having a bearing and distance of N. 01-31-00 W. 46.38 feet to a point; thence in an easterly direction with the proposed Charlotte City Limit line following along the northerly line of lot as described in said Deed Book 3932, page 995 as having a bearing and distance of N. 85-19-00 E. 26.14 feet to a point, said point being the northwesterly corner of Parcel 3 as described in Deed Book 3973, page 382; thence continuing in an easterly direction with the proposed Charlotte City Limit line following along the northerly line of Parcel 3 as described in said Deed Book 3973, page 382 as having a bearing and distance of N. 85-19-00 E. 258.81 feet to a point, said point being the southwesterly corner of Lot 1 as shown on recorded Map Book 4, page 335; thence in an easterly direction with the proposed Charlotte City Limit line following along the southerly line of Lot 1 as shown on said recorded Map Book 4, page 335 as having a bearing and distance as follows: N. 88 E. 590 feet to a point; thence N. 58-30 E. approximately 790 feet to a point, said point being located 40 feet west of and normal to the centerline of Oakdale Road (SR 2025); thence in a northerly direction with the proposed Charlotte City Limit line following along a line 40 feet west of and parallel with the centerline of Oakdale Road (SR 2025) approximately 150 feet to a point, said point being in the northerly line of Lot 1 as shown on said recorded Map Book 4, page 335; thence in a westerly direction with the proposed Charlotte City Limit line following along the northerly line of Lot 1 as shown on said recorded Map Book 4, page 335 as having a bearing and distance as follows: N. 87-30 W. approximately 401 feet to a point; thence N. 2-30 W. 299.5 feet to a point; thence N. 89-30 W. 335.5 feet to a point, said point being in the northerly line of Lot 1 as shown on said recorded Map Book 4, page 335; thence in a northeasterly direction with the proposed Charlotte City Limit line following along the extension of the northerly line of Lot 1 as shown on said recorded Map Book 4, page 335 as having a bearing and distance of N. 52-30 E. approximately 35 feet to a point, said point being the southernmost corner of a 1.68 acre lot as shown on recorded Map Book 5, page 225; thence in a northwesterly direction with the proposed Charlotte City Limit line following along the westerly line of a 1.68 acre lot as shown on said recorded Map Book 5, page 225 as having a bearing and distance of N. 23-55 W. 144 feet to a point, said point being the southeasterly corner of lot as described in Deed Book 4114, page 109; thence in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 4114, page 109 as having a bearing and distance of S. 66-05 W. 175 feet to a point, said point being the southwesterly corner of lot as described in said Deed Book 4114, page 109; thence in a northwesterly direction with the proposed Charlotte City Limit line following along a portion of the westerly line of lot as described in said Deed Book 4114, page 109 as having a bearing and distance of N. 23-55 W. 125.0 feet to a point, said point being the southwesterly corner of Lot 6 in Block 3 as shown on recorded Map Book 1166, page 699; thence continuing in a northwesterly direction with the proposed Charlotte City Limit line following along the westerly line of Lot 6 and a portion of Lot 5 in Block 3 as shown on said recorded Map Book 1166, page 699 as having a bearing and distance of N. 23-55 W. approximately 170 feet to a point, said point being the southeasterly corner of lot as described in Deed Book 4105, page 885; thence in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 4105, page 885 as having a bearing and distance of S. 66-05 W. 204.58 feet to a point; thence in a northwesterly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 4105, page 885 as having a bearing and distance of N. 23-55 W. 125.0 feet to a point, said point being in the easterly right-of-way margin of the southerly terminus of Ford Street; thence in a southwesterly direction, crossing Ford Street approximately 75 feet to a point, said point being the southeasterly corner of lot as described in Deed Book 3960, page 510; thence in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 3960, page 510

August 11, 1986
Ordinance Book 35 - Page 76

as having a bearing and distance of S. 83-31-00 W. 298.95 feet to a point; thence in a northwesterly direction with the proposed Charlotte City Limit line following along a portion of the westerly line of lot as described in said Deed Book 3960, page 510 as having a bearing and distance of N. 23-55-00 W. approximately 110 feet to a point, said point being located in the southerly terminus of Loves Lane; thence in a westerly direction with the proposed Charlotte City Limit line following along the southerly terminus of Loves Lane approximately 70 feet to a point, said point being located 40 feet west of and normal to the centerline of Loves Lane; thence in a northerly direction with the proposed Charlotte City Limit line following along a line 40 feet west of and parallel with the centerline of Loves Lane approximately 50 feet to a point, said point being located where a line 40 feet west of and parallel with the centerline of Loves Lane intersects with a line 40 feet south of and parallel with the centerline of an unnamed street being 60 feet in width; thence in a westerly direction with the proposed Charlotte City Limit line following along a line 40 feet south of and parallel with the centerline of a 60 foot unnamed street approximately 70 feet to a point, said point being located where a line 40 feet south of and parallel with the centerline of an unnamed 60 foot street intersects with the western terminus (if extended) of said 60 foot street; thence in a northerly direction with the proposed Charlotte City Limit line following along the westerly terminus of an unnamed 60 foot street approximately 80 feet to a point, said point being located 40 feet north of and parallel with the centerline of said unnamed 60 foot street; thence in an easterly direction with the proposed Charlotte City Limit line following along a line 40 feet north of and parallel with the centerline of a 60 foot unnamed street approximately 70 feet to a point, said point being located 40 feet west of and normal to the centerline of Loves Lane; thence in a northerly direction with the proposed Charlotte City Limit line following along a line 40 feet west of and parallel with the centerline of Loves Lane approximately 110 feet to a point, said point being in the southerly line of lot as described in Deed Book 1316, page 512; thence in a westerly direction with the proposed Charlotte City Limit line following along a portion of the southerly line of lot as described in said Deed Book 1316, page 512 as having a bearing and distance of S. 83-45 W. approximately 164 feet to a point, said point being the northeasterly corner of lot as described in Deed Book 2664, page 178; thence in a southerly direction with the proposed Charlotte City Limit line following along the easterly line of lot as described in said Deed Book 2664, page 178 as having a bearing and distance of S. 2-35 E. 120.22 feet to a point; thence in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 2664, page 178 as having a bearing and distance of S. 86-01 W. 170.34 feet to a point, said point being the southeasterly corner of lot as described in Deed Book 3058, page 360; thence continuing in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 3058, page 360 as having a bearing and distance of N. 87-24 W. 100 feet to a point; thence in a northerly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 3058, page 360 as having a bearing and distance of N. 00-00-10 W. 135.85 feet to a point, said point being in the southerly line of lot as described in Deed Book 1743, page 174; thence in a westerly direction with the proposed Charlotte City Limit line following along a portion of the southerly line of lot as described in said Deed Book 1743, page 174 as having a bearing and distance of N. 87-00 W. 209 feet to a point; thence in a northerly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 1743, page 174 as having a bearing and distance of N. 15-30 E. 287.5 feet to a point, said point being the southwest corner of lot as described in Deed Book 4637, page 971; thence continuing in a northerly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 4637, page 971 as having a bearing and distance of N. 14-30 E. 496.8 feet to a point, said point being the northwesterly corner of lot as described in said Deed Book 4637, page 971; thence in an easterly direction with the proposed Charlotte City Limit line following along the northerly line of lots as described in Deed Books 4637, page 971, 4167, page 159, and 4241, page 896 as having a bearing of S. 86-00 E. a total distance of 790.80 feet to a point, said point being in the westerly line of lot as described in Deed Book 1578, page 19; thence in a northerly direction with the proposed Charlotte City Limit line following along a portion of the westerly line of lot as described in said Deed Book 1578, page 19 as having a bearing and distance of N. 6-13 W. 200 feet to a point; thence in an easterly direction with the proposed Charlotte City Limit line following along a portion of the northerly line of lot as described in said Deed Book 1578, page 19 as having a bearing and distance of S. 87-14 E. 150 feet to a point, said point being in the westerly line of lot as described in Deed Book 1654, page 89; thence in a northerly direction with the proposed Charlotte City Limit line following along a portion of the westerly line of lot as described in said Deed Book 1654, page 89 and the westerly line of lot as described in Deed Book 2059, page 193 as having a bearing and distance of N. 1-29 E. a total distance of approximately 376 feet to a point, said point being 40 feet south of and normal to the centerline of Pleasant Grove Road (SR 2008); thence in a northwesterly direction with the proposed Charlotte City Limit line following along a line 40 feet south of and parallel with the centerline of Pleasant Grove Road (SR 2008) approximately 540 feet to a point, said point being in the southerly line of lot as described in Deed Book 4447, page 802; thence in a southwest direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 4447, page 802 as having a bearing and distance of S. 41-57-00 W. approximately 185 feet to a point; thence in a northwesterly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book

August 11, 1986
Ordinance Book 35 - Page 77

4447, page 802 as having a bearing and distance of N. 48-03-00 W. 25.0 feet to a point, said point being the southeasterly corner of lot as described in Deed Book 1039, page 295; thence in a southwesterly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 1039, page 295 as having a bearing and distance of S. 40-15 W. approximately 270 feet to a point, said point being the southeasterly corner of lot as described in Deed Book 3058, page 209; thence continuing in a southwesterly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 3058, page 209 and the southerly line of lot as described in Deed Book 1611, page 524 as having a bearing and distance of S. 41-57 W. a total distance of 464.05 feet to a point, said point being the southwesterly corner of lot as described in said Deed Book 1611, page 524; thence in a northwesterly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 1611, page 524 as having a bearing and distance of N. 34-35-40 W. approximately 336 feet, crossing Hipp Road (SR 2033) to a point, said point being 40 feet northwest of and normal to the centerline of Hipp Road (SR 2033); thence in a northeasterly direction with the proposed Charlotte City Limit line following along a line 40 feet northwest of and parallel with the centerline of Hipp Road (SR 2033) approximately 725 feet to a point, said point being 40 feet southwest of and normal to the centerline of Pleasant Grove Road (SR 2008); thence in a northwesterly direction with the proposed Charlotte City Limit line following along a line 40 feet southwest of and parallel with the centerline of Pleasant Grove Road (SR 2008) approximately 590 feet to a point, said point being located where a line 40 feet southwest of and parallel with the centerline of Pleasant Grove Road (SR 2008) intersects with the northerly line (if extended) of lot as described in Deed Book 2686, page 238; thence in a northeasterly direction with the proposed Charlotte City Limit line crossing Pleasant Grove Road (SR 2008) and following along the northerly line of lot as described in said Deed Book 2686, page 238 as having a bearing and distance of N. 03-39-30 E. approximately 691 feet to a point, said point being in the westerly line of Lot 15 as shown on recorded Map Book 12, page 543; thence in a northerly direction with the proposed Charlotte City Limit line following along a portion of the westerly line of Lot 15 and the westerly line of Lots 16 through 18 as shown on said recorded Map Book 12, page 543 as having a bearing and distance of N. 6-27-40 E. approximately 423 feet to a point, said point being the northeasterly corner of lot as described in Deed Book 4869, page 293; thence in a westerly direction with the proposed Charlotte City Limit line following along the northerly line of lot as described in said Deed Book 4869, page 293 as having a bearing and distance of N. 86-19-35 W. 271.74 feet to a point, said point being the southwesterly corner of lot as described in Deed Book 4850, page 958; thence in a northerly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 4850, page 958 as having a bearing and distance of N. 40-51-45 E. 233.45 feet to a point, said point being the southwesterly corner of lot as described in Deed Book 4869, page 291; thence in an easterly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 4869, page 291 as having a bearing and distance of S. 77-38-35 E. 140.26 feet to a point; thence in a northerly direction with the proposed Charlotte City Limit line following along the easterly line of lot as described in said Deed Book 4869, page 291 as having a bearing and distance of N. 6-27-40 E. 218.16 feet to a point, said point being a corner of lot as described in Deed Book 4763, page 277; thence in a northeasterly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 4763, page 277 as having a bearing and distance as follows: N. 40-54-00 E. 1.22 feet to a point; thence N. 42-38-00 E. approximately 246 feet to a point, said point being located 40 feet west of and normal to the centerline of Oakdale Road (SR 2025); thence in a northerly direction with the proposed Charlotte City Limit line following along a line 40 feet west of and parallel with the centerline of Oakdale Road (SR 2025) approximately 255 feet to a point, said point being located where a line 40 feet west of and parallel with the centerline of Oakdale Road (SR 2025) intersects with the northerly line (if extended) of lot as described in Deed Book 4921, page 242; thence in an easterly direction with the proposed Charlotte City Limit line, crossing Oakdale Road (SR 2025) and following along the northerly line of lot as described in said Deed Book 4921, page 242 as having a bearing and distance of N. 89-41-00 E. approximately 324 feet to a point; thence in a southerly direction with the proposed Charlotte City Limit line following along the easterly line of lot as described in said Deed Book 4921, page 242 as having a bearing and distance of S. 00-24-10 E. 26.20 feet to a point, said point being the northeasterly corner of lot as described in Deed Book 2892, page 181; thence in a southerly direction with the proposed Charlotte City Limit line following along a portion of the easterly line of lot as described in said Deed Book 2892, page 181 as having a bearing and distance of S. 00-24-10 E. approximately 192 feet to a point, said point being the northwesterly corner of lot as described in Deed Book 3515, page 461; thence in a northeasterly direction with the proposed Charlotte City Limit line following along the northerly line of lot as described in said Deed Book 3515, page 461 as having a bearing and distance of N. 59-57 E. 149.5 feet to a point; thence in a southerly direction with the proposed Charlotte City Limit line following along the easterly line of lot as described in said Deed Book 3515, page 461 as having a bearing and distance of S. 00-15 E. 230.5 feet to a point; thence in a southwesterly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 3515, page 461 as having a bearing and distance of S. 59-57 W. approximately 254 feet to a point, said point being located 40 feet east of and normal to the centerline of Oakdale Road (SR 2025); thence in a southerly direction with the proposed Charlotte City Limit line following along a line 40 feet east of and parallel with the centerline of Oakdale Road (SR 2025) approximately 780 feet to a point, said point being located where a line 40 feet east of and parallel with the centerline of Oakdale Road (SR 2025) intersects with a line 40 feet north of and parallel with the centerline of Donlee Drive (SR 2031); thence in an

August 11, 1986
Ordinance Book 35 - Page 78

easterly direction with the proposed Charlotte City Limit line following along a line 40 feet north of and parallel with the centerline of Donlee Drive (SR 2031) approximately 380 feet to a point, said point being located where a line 40 feet north of and parallel with the centerline of Donlee Drive (SR 2031) intersects with a line 40 feet west of and parallel with the centerline of Thompson Avenue (SR 2201); thence in a northerly direction with the proposed Charlotte City Limit line following along a line 40 feet west of and parallel with the centerline of Thompson Avenue (SR 2201) approximately 431 feet to a point, said point being in the southerly line of Lot 1 in Block 7 as shown on recorded Map Book 9, page 349; thence in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of Lot 1 in Block 7 as shown on said recorded Map Book 9, page 349 as having a bearing and distance of S. 87-09 W. approximately 166 feet to a point, said point being the southwest corner of Lot 1 in Block 7 as shown on said recorded Map Book 9, page 349; thence in a northerly direction with the proposed Charlotte City Limit line following along the westerly line of Lots 1 through 4 in Block 7 as shown on said recorded Map Book 9, page 349 as having a bearing and distance of N. 00-19 E. 400.61 feet to a point, said point being the southwest corner of lot as described in Deed Book 4428, page 568; thence in a northerly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 4428, page 568 as having a bearing and distance of N. 00-49-20 W. 250.56 feet to a point; thence in an easterly direction with the proposed Charlotte City Limit line following along the northerly line of lot as described in said Deed Book 4428, page 568 as having a bearing and distance of N. 85-21-06 E., crossing Thompson Avenue (SR 2201) approximately 233 feet to a point, said point being located 40 feet east of and normal to the centerline of Thompson Avenue (SR 2201); thence in a southerly direction with the proposed Charlotte City Limit line following along a line 40 feet east of and parallel with the centerline of Thompson Avenue (SR 2201) approximately 250 feet to a point, said point being in the northerly line of Lot 7 in Block 2 as shown on recorded Map Book 9, page 349; thence in an easterly direction with the proposed Charlotte City Limit line following along the northerly line of Lots 7, 6, 5, 4, 3, 1 in Block 2, the northerly line of Lots 1, 6, 7, 8, 9, 10, 11, 12, 13, 14 in Block 3, and the northerly line of Lot 5 in Block 5, crossing Ventura Avenue and Stonyford Place, as shown on said recorded Map Book 9, page 349 as having a bearing and distance as follows: N. 87-09 E. approximately 400 feet to a point; thence N. 55-50 E. approximately 1,208 feet to a point; thence S. 63-14-50 E. 560.02 feet to a point, said point being the northeasterly corner of Lot 5 in Block 5 as shown on said recorded Map Book 9, page 349; thence in a southerly direction with the proposed Charlotte City Limit line following along the easterly line of Lots 5 through 1 in Block 5 and the easterly line of Lot 11 in Block 6, crossing Ravendale Drive as shown on said recorded Map Book 9, page 349 as having a bearing and distance of S. 12-00-50 W. 783.08 feet to a point, said point being a corner of lot as described in Deed Book 3787, page 7; thence in a westerly direction with the proposed Charlotte City Limit line following along the northerly line of lot as described in said Deed Book 3787, page 7 as having a bearing and distance of S. 85-29-50 W. 602.38 feet to a point; thence in a southeasterly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 3787, page 7 as having bearing and distance of S. 31-09-30 E. 1,017.56 feet to a point, said point being the northwesterly corner of lot as described in Deed Book 3765, page 855; thence in a southerly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 3765, page 855 as having a bearing and distance as follows: S. 30-37-00 E. 333.97 feet to a point; thence S. 5-16-00 E. 79.45 feet to a point, said point being the northwesterly corner of lot as described in Deed Book 3765, page 858; thence in a southerly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 3765, page 858 as having a bearing and distance as follows: S. 5-16-00 E. 255.25 feet to a point; thence S. 67-55-20 E. 146.63 feet to a point; thence S. 15-29-00 E. approximately 280 feet to a point, said point being located 40 feet north of and normal to the centerline of Radio Road (SR 2008); thence in a northeasterly direction with the proposed Charlotte City Limit line following along a line 40 feet north and/or northwest of and parallel with the centerline of Radio Road (SR 2008) approximately 950 feet to a point, said point being located where a line 40 feet northwest of and parallel with the centerline of Radio Road (SR 2008) intersects with the easterly line (if extended) of Second Tract as described in Deed Book 3756, page 671; thence in a southerly direction with the proposed Charlotte City Limit line crossing Radio Road (SR 2008) and following along the easterly line of Second and First Tract as described in said Deed Book 3756, page 671 as having a bearing and distance as follows: S. 50-45 E. approximately 876 feet to a point; thence S. 8-45 E. 565 feet to a point; thence S. 31-20-20 W. 1,158.89 feet to a point, said point being in the northerly line of Lot 13 as shown on recorded Map Book 5, page 313; thence in an easterly direction with the proposed Charlotte City Limit line following along a portion of the northerly line of Lot 13 as shown on said recorded Map Book 5, page 313 as having a bearing and distance of S. 80 E. approximately 148 feet to a point, said point being the northwesterly corner of Lot 28 as shown on recorded Map Book 9, page 23; thence continuing in an easterly direction with the proposed Charlotte City Limit line following along the northerly line of Lots 28 through 41 as shown on said recorded Map Book 9, page 23 as having a bearing and distance of S. 80-10 E. 529 feet to a point, said point being in the westerly line of lot as described in Deed Book 1110, page 64; thence in a northerly direction with the proposed Charlotte City Limit line following along a portion of the westerly line of lot as described in said Deed Book 1110, page 64 as having a bearing and distance of N. 10 E. approximately 610 feet to a point; thence in a southeasterly direction with the proposed Charlotte City Limit line following along the northerly line of lot as described in said Deed Book 1110, page 64 as having a bearing and distance of S. 62-22 E. approximately 871 feet to a point, said point being located 40 feet north of and normal to the centerline of Peachtree Road (SR 2019); thence in an easterly direction with the proposed Charlotte City Limit line following along a line 40 feet north of and parallel with the centerline of Peachtree Road (SR 2019) approximately 460 feet to a point, said point being located where a line 40 feet north of and parallel with the centerline

of Peachtree Road (SR 2019) intersects with the northerly line (if extended) of Lot 1 in Block B as shown on recorded Map Book 7, page 709; thence in a southeasterly direction with the proposed Charlotte City Limit line crossing Peachtree Road (SR 2019) and following along the northerly line of Lots 1 through 5 and the northerly line of Well Lot as shown on said recorded Map Book 7, page 709 as having a bearing and distance of S. 62-04 E. approximately 895 feet to a point, said point being the northeasterly corner of lot as described in Deed Book 1511, page 147; thence in a southerly direction with the proposed Charlotte City Limit line following along the easterly line of lot as described in said Deed Book 1511, page 147 as having a bearing and distance of S. 22-00 E. 450 feet to a point, said point being the northeasterly corner of Lot 14 in Block B as shown on recorded Map Book 7, page 709; thence continuing in a southerly direction with the proposed Charlotte City Limit line following along the easterly line of Lots 14 through 18 in Block B as shown on said recorded Map Book 7, page 709 as having a bearing and distance of S. 21-27 E. 651.77 feet to a point, said point being the easternmost corner of Lot 19 in Block B as shown on said recorded Map Book 7, page 709; thence in a southwesterly direction with the proposed Charlotte City Limit line following along the southerly line of Lots 19 through 22 in Block B as shown on said recorded Map Book 7, page 709 as having a bearing and distance of S. 58-36 W. 501.0 feet to a point, said point being the southernmost corner of Lot 22 in Block B as shown on said recorded Map Book 7, page 709; thence in a northwesterly direction with the proposed Charlotte City Limit line following along the westerly line of Lot 22 in Block B as shown on said recorded Map Book 7, page 709 as having a bearing and distance of N. 33-58 W. 159.5 feet to a point, said point being in the easterly right-of-way margin of Rockwood Drive; thence in a southwesterly direction with the proposed Charlotte City Limit line crossing Rockwood Drive approximately 100 feet to a point, said point being the southeasterly corner of Lot 1 in Block D as shown on said recorded Map Book 7, page 709, said point also being in the westerly right-of-way margin of Rockwood Drive; thence in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of Lots 1, 19 and 18 in Block D as shown on said recorded Map Book 7, page 709 as having a bearing and distance of N. 75-00 W. 282.20 feet to a point, said point being the easternmost corner of Well Lot in Block D as shown on said recorded Map Book 7, page 709; thence in a southwesterly direction with the proposed Charlotte City Limit line following along the southerly line of Well Lot in Block D as shown on said recorded Map Book 7, page 709 as having a bearing and distance of S. 38-19 W. 305.93 feet to a point; thence in a northerly direction with the proposed Charlotte City Limit line following along the westerly line of Well Lot in Block D as shown on said recorded Map Book 7, page 709 as having a bearing and distance of N. 00-16 E. 183.0 feet to a point; thence in a northeasterly direction with the proposed Charlotte City Limit line following along the northerly line of Well Lot in Block D as shown on said recorded Map Book 7, page 709 as having a bearing and distance of N. 47-36 E. 91.82 feet to a point, said point being the southernmost corner of Lot 15 in Block D as shown on said recorded Map Book 7, page 709; thence in a northwesterly direction with the proposed Charlotte City Limit line following along the westerly line of Lot 15 in Block D as shown on said recorded Map Book 7, page 709 as having a bearing and distance of N. 45-17 W. 173.4 feet to a point, said point being in the easterly right-of-way margin of Crandon Drive; thence continuing in a northwesterly direction with the proposed Charlotte City Limit line crossing Crandon Drive approximately 60 feet to a point, said point being the southeasterly corner of Lot 57 in Block B as shown on said recorded Map Book 7, page 709; thence continuing in a northwesterly direction with the proposed Charlotte City Limit line following along the southerly line of Lot 57 in Block B as shown on said recorded Map Book 7, page 709 as having a bearing and distance of N. 46-08 W. 180.46 feet to a point, said point being in the southerly line of lot as shown on recorded Map Book 6, page 663; thence in a southwesterly direction with the proposed Charlotte City Limit line following along the southerly line of lot as shown on said recorded Map Book 6, page 663 as having a bearing and distance as follows: S. 48-00 W. approximately 282 feet to a point, thence S. 69-00 W. 71.70 feet to a point, said point being the southeasterly corner of Lot 9 as shown on said recorded Map Book 6, page 663; thence continuing in a southwesterly direction with the proposed Charlotte City Limit line following along the southerly line of Lot 9 and crossing an unnamed 30 foot street as shown on said recorded Map Book 6, page 663 as having a bearing and distance of S. 69-00 W. approximately 256 feet to a point, said point being 25 feet southwest of and normal to the centerline of an unnamed 30 foot street; thence in a northwesterly direction with the proposed Charlotte City Limit line following along a line 25 feet southwest of and parallel with the centerline of an unnamed 30 foot street approximately 600 feet to a point, said point being in the southerly line of lot as shown on recorded Map Book 1862, page 280; thence in a southwesterly direction with the proposed Charlotte City Limit line following along the southerly line of lot as shown on said recorded Map Book 1862, page 280 as having a bearing and distance of S. 51-30 W. approximately 93 feet to a point; thence in a northwesterly direction with the proposed Charlotte City Limit line following along the westerly line of lot as shown on said recorded Map Book 1862, page 280 as having a bearing and distance of N. 42-35 W. approximately 160 feet to a point, said point being located 40 feet southeast of and normal to the centerline of Peachtree Road (SR 2019); thence in a southwesterly direction with the proposed Charlotte City Limit line following along a line 40 feet southeast of and parallel with the centerline of Peachtree Road (SR 2019) approximately 210 feet to a point, said point being in the easterly line of lot as described in Deed Book 1890, page 140; thence in a southerly direction with the proposed Charlotte City Limit line following along the easterly line of lot as described in said Deed Book 1890, page 140 as having a bearing and distance of S. 11-30-30 W. approximately 370 feet to a point, said point being the northeasterly corner of lot as described in Deed Book 4012, page 395; thence continuing in a southerly direction with the proposed Charlotte City Limit line following along a portion of the easterly line of lot as described in said Deed Book 4012, page 395 as having a bearing and distance as follows: S. 9-30 W. 374 feet to a

August 11, 1986
Ordinance Book 35 - Page 80


point; thence S. 44-30 E. approximately 458 feet to a point, said point being the southeasterly corner of lot as described in Deed Book 4680, page 684; thence in a southwesterly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 4680, page 684 as having a bearing and distance of S. 66-16 W. 238.30 feet to a point; thence in a northwesterly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 4680, page 684 and the westerly line of lot as described in Deed Book 1590, page 157 as having a bearing and distance of N. 23-44 W. a total distance of approximately 150 feet to a point, said point being the southeasterly corner of lot as described in Deed Book 2895, page 588; thence in a westerly direction with the proposed Charlotte City Limit line following along the southerly line of lot as described in said Deed Book 2895, page 588 as having a bearing and distance of S. 81-15 W. 341.0 feet to a point; thence in a northwesterly direction with the proposed Charlotte City Limit line following along a portion of the westerly line of lot as described in said Deed Book 2895, page 588 as having a bearing and distance of N. 24-26 W. approximately 20 feet to a point, said point being a corner of lot as described in Deed Book 3954, page 680; thence in a southerly direction with the proposed Charlotte City Limit line following along the easterly line of lot as described in said Deed Book 3954, page 680 as having a bearing and distance of S. 6-20-17 W. 303.72 feet to a point, said point being in the northerly line of lot as described in Deed Book 3906, page 493; thence in a southeasterly direction with the proposed Charlotte City Limit line following along a portion of the northerly line of lot as described in said Deed Book 3906, page 493 as having a bearing and distance of S. 58-15 E. 263.36 feet to a point; thence in a southerly direction with the proposed Charlotte City Limit line following along the easterly line of lot as described in said Deed Book 3906, page 493 as having a bearing and distance of S. 9-00 W. 245.0 feet to a point, said point being the northeasterly corner of lot as described in Deed Book 2313, page 305; thence continuing in a southerly direction with the proposed Charlotte City Limit line following along the easterly line of lot as described in said Deed Book 2313, page 305 as having a bearing and distance of S. 4-59-00 W. 640.46 feet to a point, said point being the northwesterly corner of lot as described in Deed Book 1409, page 253; thence in a southeasterly direction with the proposed Charlotte City Limit line following along the northerly line of lot as described in said Deed Book 1409, page 253 as having a bearing and distance of S. 53-45 E. 349.79 feet to a point, said point being the southwesterly corner of lot as described in Deed Book 1169, page 240, said point also being in the centerline of Grass Drive (SR 2022); thence in a northeasterly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 1169, page 240 as having a bearing and distance of N. 32 E. 200 feet to a point; thence in a southeasterly direction with the proposed Charlotte City Limit line following along the northerly line of lot as described in said Deed Book 1169, page 240 as having a bearing and distance of S. 52-15 E. 266 feet to a point; thence in a southwesterly direction with the proposed Charlotte City Limit line following along the easterly line of lot as described in said Deed Book 1169, page 240 as having a bearing and distance of S. 32 W. 200 feet to a point, said point being a corner of lot as described in Deed Book 4222, page 1; thence in an easterly direction with the proposed Charlotte City Limit line following along a portion of the westerly line of lot as described in said Deed Book 4222, page 1 as having a bearing and distance as follows: S. 53-36-54 E. 268.03 feet to a point; thence N. 64-13-53 E. 172.3 feet to a point; thence N. 15-27-23 E. 368.31 feet to a point, said point being a corner in the southerly line of lot as described in Deed Book 4254, page 561; thence in an easterly direction with the proposed Charlotte City Limit line following along a portion of the southerly line of lot as described in said Deed Book 4254, page 561 as having a bearing and distance as follows: N. 15-27-23 E. 197.49 feet to a point; thence S. 75-44-14 E. 277.00 feet to a point; thence in a northerly direction with the proposed Charlotte City Limit line following along a portion of the easterly line of lot as described in said Deed Book 4254, page 561 as having a bearing and distance as follows: N. 11-58-43 E. 94.53 feet to a point; thence S. 88-28-30 E. 11.98 feet to a point, said point being the northwesterly corner of lot as described in Deed Book 4462, page 155; thence in an easterly direction with the proposed Charlotte City Limit line following along a portion of the northerly line of lot as described in said Deed Book 4462, page 155 as having a bearing and distance of S. 87-30 E. approximately 289 feet to a point, said point being the northwesterly corner of lot as described in Deed Book 3920, page 729; thence in a southerly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 3920, page 729 as having a bearing and distance of S. 21-46-30 W. approximately 225 feet to a point, said point being 40 feet north of and normal to the centerline of Swearngan Road; thence in an easterly direction with the proposed Charlotte City Limit line following along a line 40 feet north of and parallel with the centerline of Swearngan Road approximately 361 feet, crossing Swearngan Road, to a point, said point being in the easterly right-of-way margin of Swearngan Road, said point also being in the northerly line of lot as described in Deed Book 1383, page 539; thence in an easterly direction with the proposed Charlotte City Limit line following along a portion of the northerly line of lot as described in said Deed Book 1383, page 539 as having a bearing and distance of N. 79-03 E. approximately 103 feet to a point; thence in a southerly direction with the proposed Charlotte City Limit line following along the easterly line of lot as described in said Deed Book 1383, page 539 as having a bearing and distance of S. 16-57 E. 217.45 feet to a point; thence in a westerly direction with the proposed Charlotte City Limit line following along a portion of the southerly line of lot as described in said Deed Book 1383, page 539 as having a bearing and distance of S. 85-24-20 W. approximately 714 feet to a point, said point being the northwesterly corner of lot as described in Deed Book 1246, page 72; thence in a southerly direction with the proposed Charlotte City Limit line following along the westerly line of lot as described in said Deed Book 1246, page 72 as having a bearing and distance of S. 14-00 E. approximately 337 feet to a point, said point being 40 feet north of and normal to the centerline of Auten Road (SR 2020); thence in an easterly direction with the proposed Charlotte City Limit line following along a line 40 feet north of and parallel with the centerline of Auten Road (SR 2020) approximately 100 feet to a point,

August 11, 1986
Ordinance Book 35 - Page 81

said point being located where a line 40 feet north of and parallel with the centerline of Auten Road (SR 2020) intersects with the northerly line (if extended) of lot as shown on recorded Map Book 17, page 246; thence in an easterly direction, crossing Auten Road (SR 2020) and following along the northerly line of lot as shown on said recorded Map Book 17, page 246 as having a bearing and distance as follows: S. 27-57-30 E. approximately 568 feet to a point; thence N. 62-02-30 E. 1,057.48 feet to a point; thence in a southerly direction with the proposed Charlotte City Limit line following along a portion of the easterly line of lot as shown on said recorded Map Book 17, page 246 as having a bearing and distance of S. 3-59-25 W. approximately 173 feet to a point in the present Charlotte City Limit line, said point being the northwesterly corner of lot as described in Deed Book 2907, page 97; thence in a southwesterly direction with the present Charlotte City Limit line following along the westerly boundary line of lot as described in said Deed Book 2906, page 97 as having a bearing and distance of S. 4-24-20 W. approximately 938 feet to a point, said point being the southeasterly corner of lot as shown on said recorded Map Book 17, page 246; thence in a southwesterly direction with the present Charlotte City limit line following along the southerly boundary line of a tract as shown on said recorded Map Book 17, page 246 as having a bearing and distance of S. 60-01-30 W. approximately 760 feet to a point, said point being located 40 feet east of and normal to the centerline of Chesapeake Drive; thence in a northwesterly direction with the present Charlotte City Limit line following along a line 40 feet east of and parallel with the centerline of Chesapeake Drive approximately 1,644 feet crossing Auten Road (SR 2020) to a point, said point being located where a line 40 feet north of and parallel with the centerline of Auten Road (SR 2020) intersects with a line 40 feet east of and parallel with the centerline (if extended) of Chesapeake Drive; thence in a westerly direction with the present Charlotte City Limit line following along a line 40 feet north of and parallel with the centerline of Auten Road (SR 2020), crossing Swearngen Road and Grass Drive (SR 2022) approximately 1,840 feet to a point, said point being located where a line 40 feet north of and parallel with the centerline of Auten Road (SR 2020) intersects with the centerline of the Duke Power Company right-of-way; thence in a southeasterly direction with the present Charlotte City Limit line crossing the northerly right-of-way margin of Auten Road (SR 2020) approximately 48 feet to a point in the centerline of Auten Road (SR 2020), said point being the northwesterly corner of lot as shown on recorded Map Book 17, page 248; thence continuing in a southeasterly direction with the present Charlotte City Limit line following along the centerline of Duke Power Company right-of-way and the westerly boundary line of lot as shown on said recorded Map Book 17, page 248 as having a bearing and distance as follows: S. 50-19-10 E. 177.90 feet to a point; thence S. 29-58-30 E. 1,557.77 feet to a point, said point being located in the centerline of the Duke Power Company right-of-way; thence in an easterly direction with the present Charlotte City Limit line following along the westerly boundary line of lot as shown on said recorded Map Book 17, page 248 as having a bearing and distance as follows: N. 71-36-00 E. 37.33 feet to a point; thence N. 82-05-30 E. 51.18 feet to a point in the easterly right-of-way margin of Duke Power Company; thence in a southeasterly direction with the present Charlotte City Limit line following along the westerly boundary line of lot as shown on said recorded Map Book 17, page 248 as having a bearing and distance of S. 29-58-30 E. 535.23 feet to a point; thence in a northeasterly direction with the present Charlotte City Limit line following along the southerly boundary line of lot as shown on said recorded Map Book 17, page 247 and 248 as having a bearing and distance of N. 60-01-30 E. approximately 834 feet to a point, said point being the northwesterly corner of lot as described in Deed Book 3386, page 381; thence in a southerly direction with the present Charlotte City Limit line following along the westerly boundary line of lot as described in said Deed Book 3386, page 381 as having a bearing and distance of S. 30-39-10 E. 235.91 feet to a point, said point being the southwesterly corner of lot as described in said Deed Book 3386, page 381; thence continuing in a southerly direction with the present Charlotte City Limit line following along the westerly line (if extended in a southerly direction) of lot as described in said Deed Book 3386, page 381 S. 30-39-10 E. approximately 190 feet to a point, said point being located where a line 40 feet north of and parallel with Black Satchel Drive intersects with the westerly boundary line (if extended) of lot as described in said Deed Book 3386, page 381; thence in a southwesterly direction with the present Charlotte City Limit line following along a line 40 feet north of and parallel with the centerline of Black Satchel Drive approximately 770 feet to a point, said point being located where a line 40 feet north of and parallel with the centerline of Black Satchel Drive intersects with the westerly boundary line (if extended) of lot as described in Deed Book 3606, page 670; thence in a southeasterly direction with the present Charlotte City Limit line, crossing Black Satchel Drive approximately 70 feet to a point in the southerly right-of-way margin of Black Satchel Drive, said point being the northwesterly corner of lot as described in Deed Book 3606, page 670; thence in an easterly direction with the present Charlotte City Limit line following along the boundary lines of lot as described in said Deed Book 3606, page 670 in six (6) courses as having bearings and distances as follows: (1) S. 29-58-40 E. 921.01 feet to a point; (2) with the arc of a circular curve to the left having a radius of 338.10 feet, 251.02 feet to a point; (3) N. 62-00-48 E. 229.53 feet to a point; (4) with the arc of a circular curve to the left having a radius of 457.46 feet, 77.81 feet to a point; (5) N. 27-57-40 W. 367.48 feet to a point; (6) N. 60-01-30 E. approximately 690 feet to a point, said point being located 40 feet east of and normal to the centerline of Chesapeake Drive; thence in a southeasterly direction with the present Charlotte City Limit line following along a line 40 feet west of and parallel with the centerline of Chesapeake Drive approximately 429.5 feet to a point, said point being located where a line 40 feet west of and parallel with the centerline of Chesapeake Drive intersects with the northerly boundary line of lot as described in Deed Book 2779, page 85; thence in a southwesterly direction with the present Charlotte City Limit line following along the northerly boundary line of lot as described in said Deed Book 2779, page 85 as having a bearing and distance of S. 62-02-20 W. approximately 445 feet to a point, said point being the northwesterly corner of lot as described in said Deed Book 2779, page 85; thence in a

August 11, 1986
Ordinance Book 35 - Page 82

southerly direction with the present Charlotte City Limit line following along the westerly boundary line of lot as described in said Deed Book 2779, page 85 as having a bearing and distance of S. 27-18-20 E. approximately 46 feet to a point, said point being the northeasterly corner of lot as described in Deed Book 2893, page 523; thence continuing in a southerly direction with the present Charlotte City Limit line following along the easterly boundary line of tract as described in said Deed Book 2893, page 523 as having a bearing and distance as follows: S. 27-20-20 E. 887.45 feet to a point; thence S. 12-55-15 W. approximately 260 feet to a point, said point being located 40 feet north of and normal to the centerline of Lawton Road; thence in a southwesterly direction with the present Charlotte City Limit line following along a line 40 feet north of and parallel with the centerline of Lawton Road approximately 687 feet to a point, said point being located where a line 40 feet north of and parallel with the centerline of Lawton Road intersects with the easterly right-of-way margin of Duke Power Company transmission line; thence in a northwesterly direction with the present Charlotte City Limit line following along the easterly right-of-way margin of Duke Power Company transmission line as described in Deed Book 2580, page 155 as having a bearing and distance as follows: N. 29-48 W. approximately 530 feet to a point; thence N. 29-50-40 W. 84.44 feet to a point; thence N. 29-46-40 W. 460.15 feet to a point, said point being the northeasterly corner of lot as described in said Deed Book 2580, page 155; thence in a southwesterly direction with the present Charlotte City Limit line following along the northerly boundary line of lot as described in said Deed Book 2580, page 155 as having a bearing and distance of S. 64-42-40 W. 68 feet to a point, said point being located where the northerly line of lot as described in said Deed Book 2580, page 155 intersects with the westerly right-of-way margin of Duke Power Company transmission line; thence in a northwesterly direction with the present Charlotte City Limit line following along the westerly right-of-way margin of Duke Power Company transmission line as described in Deed Book 3636, page 345 as having a bearing and distance of N. 29-58-30 W. 1,014.80 feet to a point in the southerly right-of-way margin of Black Satchel Drive, said point being the northeasterly corner of lot as described in said Deed Book 3636, page 345; thence continuing in a northwesterly direction with the present Charlotte City Limit line following along the westerly right-of-way margin of Duke Power Company transmission line, crossing Black Satchel Drive 70 feet to a point, said point being 40 feet north of and normal to the centerline of Black Satchel Drive; thence in a southwesterly direction with the present Charlotte City Limit line following along a line 40 feet north of and parallel with the centerline of Black Satchel Drive approximately 377 feet to a point; thence in a southerly or southwesterly direction, crossing Black Satchel Drive to the point or place of Beginning.




Present City Limits

Proposed City Limits



Oakdale

Present and Proposed Boundaries



This page not
used —

August 11, 1986
Ordinance Book 35 - Page 83

ORDINANCE NO. 2012-X

AN ORDINANCE TO AMEND ORDINANCE NO. 1956-X, THE 1986-87 BUDGET ORDINANCE, PROVIDING AN APPROPRIATION FOR THE PRELIMINARY DESIGN OF A NEW BASEBALL STADIUM.

BE IT ORDAINED by the City Council of the City of Charlotte, North Carolina;

Section 1. That the sum of \$100,000 is estimated to be available from a contribution from the Charlotte Chamber of Commerce.

Section 2. That the sum of \$100,000 is hereby appropriated to the General Capital Improvement Fund 2010;282.00 - New Baseball Stadium for the preliminary design of the facility.

Section 3. All ordinances or parts of ordinances in conflict herewith are hereby repealed.

Section 4. This ordinance shall become effective upon its adoption.

Approved as to form:

City Attorney

Read, approved and adopted by the City Council of the City of Charlotte, North Carolina, in regular session convened on the 11th day of August, 1986, the reference having been made in Minute Book 86, and is recorded in full in Ordinance Book 35 at page 83.

Pat Sharkey
City Clerk

August 11, 1986
Ordinance Book 35 - Page 84

ORDINANCE NO. 2013-X

AN ORDINANCE TO AMEND ORDINANCE NO. 1956-X, THE 1986-87 BUDGET ORDINANCE, PROVIDING AN APPROPRIATION TO SECURE TECHNICAL PROJECT SUPPORT IN THE DEVELOPMENT OF CITY-OWNED PROPERTY ALONG THE BILLY GRAHAM PARKWAY.

BE IT ORDAINED by the City Council of the City of Charlotte, North Carolina;

Section 1. That the sum of \$147,000 is hereby estimated to be available from property lease agreements associated with the Billy Graham Parkway Land Development Project. The professional services of the National Development Council and Clark, Tribble, Harris and Li will be secured.

Section 2. That the sum of \$147,000 is hereby appropriated to the General Fund Finance Department Operating Budget (0101;200.00-199).

Section 3: That the Finance Director or his designee is hereby authorized to advance the sum of \$147,000 from the Municipal Debt Service Fund Fund Balance until such time that sufficient revenues have been generated from property lease agreements.

Section 4. All ordinances or parts of ordinances in conflict herewith are hereby repealed.

Section 5. This ordinance shall become effective upon its adoption.

Approved as to form:


City Attorney

Read, approved and adopted by the City Council of the City of Charlotte, North Carolina, in regular session convened on the 11th day of August, 1986, the reference having been made in Minute Book 86, and is recorded in full in Ordinance Book 35 at page 84.

Pat Sharkey, City Clerk

August 11, 1986
Ordinance Book 35 - Page 85

ORDINANCE NO. 2014-X

AN ORDINANCE TO AMEND ORDINANCE NO. 1956-X, THE 1986-87 BUDGET ORDINANCE, ESTIMATING REVENUES AND APPROPRIATING FUNDS TO THE CHARLOTTE SISTER CITIES PROGRAM.

BE IT ORDAINED by the City Council of the City of Charlotte, North Carolina;

Section 1. That the sum of \$9,000 is estimated to be available from private donations from a fundraising campaign sponsored by the Sister Cities Committee.

Section 2. That the sum of \$9,000 is hereby appropriated to account number 532.01 - Sister Cities. These funds will be used to supplement the City's contribution for the Krefeld Exchange Project.

Section 3. All ordinances or parts of ordinances in conflict herewith are hereby repealed.

Section 4. This ordinance shall become effective upon its adoption.

Approved as to form:

J. H. Michael
City Attorney

Read, approved and adopted by the City Council for the City of Charlotte, North Carolina, in regular session convened on the 11th day of August, 1986, the reference having been made in Minute Book 86, and is recorded in full in Ordinance Book 35 at page 85.

Pat Sharkey
City Clerk

August 11, 1986
Ordinance Book 35 - Page 86

ORDINANCE 2015

AN ORDINANCE AMENDING CHAPTER 14, SECTION 131 OF THE CHARLOTTE CITY CODE

WHEREAS, on May 14, 1984, the Charlotte City Council approved a policy to provide for a 25 mile per hour speed limit on non-thoroughfare residential streets; and

WHEREAS, the residents of certain streets have submitted a petition signed by at least 75 percent of the residents of the streets affected; and

WHEREAS, it has been determined, upon the basis of an engineering and traffic investigation, that a lowered speed limit on certain streets of the City of Charlotte is not inappropriate; and

WHEREAS, G. S. 20-141 (speed restrictions) requires adoption of a speed limit ordinance to amend Chapter 14, Section 131(c) of the Charlotte City Code,

NOW THEREFORE, BE IT ORDAINED by the City Council of the City of Charlotte,

SECTION 1: That Schedule X referred to in Chapter 14-131(c) of the Charlotte City Code be amended by declaring speed limits on the following City System streets as described below:

<u>STREET AND DESCRIPTION</u>	<u>SPEED LIMIT</u>
1. Curtiswood Drive between Eastway Drive and Bingham Drive	25
2. Easthaven Drive between Idlewild Road North and end-of-street 150' south of Meadowdale Lane	25
3. Forestbrook Drive between Tuckaseegee Road and end-of-street 202' north of Northstream Drive	25
4. Harrisburg Road between Albemarle Road and Old Meadow Road	25
5. Kingtree Drive between Old Reid Road and cul-de-sac	25
6. Meadowdale Lane between Idlewild Road North and end-of-street 150' west of Dawnwood Drive	25

August 11, 1986
Ordinance Book 35 - Page 87

- 7. Meadowland Drive between Newell Acres Drive and Potpourri Place 25
- 8. Valleyview Drive Hickory Grove Road and end-of-street 1308' south of Hickory Grove Road 25
- 9. Woodberry Road between Monroe Road and Wallace Road 25

SECTION 2: Section 1 shall become effective upon adoption and after signs are erected giving notice of the speed limits, as required by N.C.G.S. Section 20-141.

Approved as to form:

Henry W. Underhill City Attorney

Read, approved and adopted by the City Council of the City of Charlotte, North Carolina, in regular session convened on the 11th day of August, 1986, the reference having been made in Minute Book 86, and is recorded in full in Ordinance Book 35 at pages 86-87.

Pat Sharkey
City Clerk