



MECKLENBURG COUNTY
Land Use & Environmental Services Agency

MEMORANDUM

To: Charlotte-Mecklenburg Planning Commission
From: LUESA, Mecklenburg County
Date: 9.26.24
Subject: Rezoning Petition Comments

Charlotte-Mecklenburg Planning Commission
600 East Fourth Street Charlotte, North Carolina 28202

Mecklenburg County has reviewed the City of Charlotte rezoning petition below to identify regulatory requirements of the petitioner; inform the petitioner, planning staff, and other affected parties of such regulatory requirements; and identify potential effects on, and impacts from, nearby properties.

<u>Petitioner Information:</u> Gary H. Matthews 4000 Monroe LLC 1776 Peachtree Road NW Atlanta, GA, 30309 Home Phone: 7705988513 gm@parksidepartners.com	<u>Parcel GIS ID(s):</u> 15904612
---	---

2024-100: 4000 Monroe Rd Rezoning

Air Quality Comments: Demolition or renovation of existing structures may require proper notification and removal of asbestos. A letter of notification and the required forms have been mailed directly to the petitioner.

Ground Water Services Comments:

Contamination sites exist in the vicinity, so there may be restrictions for water supply wells. Contamination incidents are documented onsite. Fuel oil tanks and monitoring wells may exist at the property.



Groundwater & Wastewater Services records indicate contamination site(s) exist on or within 1,500 feet of the properties included in the petition. An established Area of Regulated Groundwater Usage (ARGU) as defined by the Mecklenburg County Groundwater Well Regulations extends 1,500 feet around the contamination sites. In an ARGU where municipally supplied water is available water supply wells for potable water supply, irrigation or open loop geothermal systems may not be permitted or constructed on or within 1,000 feet of contamination sites. Wells may be permitted with special construction and sampling requirements between 1,000 and 1,500 feet of contamination sites.


Records indicate that structures were built in 1956. Property records do not indicate that the property used wood, oil or coal as a heat source, but the property may contain underground or above ground fuel oil storage tanks. Any existing tank and its contents should be removed, following applicable NCDEQ guidance, prior to any demolition or grading activity.

Subsurface Investigation Permit 70002835 was issued for this site. If any monitoring wells are identified within the project boundary GWS recommends that the petitioner either protect the wells from damage by flagging and fencing during site development or permanently abandon the wells per the Mecklenburg County Groundwater Well Regulations prior to any demolition or grading activity occurring and conduct survey to locate the monitoring wells. A current permit from GWS is required for permanent well abandonments. The abandonments must be completed by a North Carolina Certified Well Contractor.

Review of NCDEQ records indicates UST Section Incidents 20014 and 27103 at this location. Any development on this parcel should comply with applicable NCDEQ requirements for management of this contamination site. Pls contact Ron Taraban ron.taraban@deq.nc.gov for more info.

Review of NCDEQ records indicates this property is part of Brownfields Redevelopment Section site 25036-21-060. Any development on this parcel should comply with applicable NCDEQ requirements for management of this contamination site. Pls contact Pete Doorn at peter.doorn@deq.nc.gov for more info.





Storm Water Services Comments: No Comments

Solid Waste Comments: No Comments

Department Contacts:

Petitioners seeking to address individual comments and issues may follow up with the following Mecklenburg County staff:

Air Quality Comments: Megan Green - (megan.green@mecklenburgcountync.gov)

Ground Water Services: Shawna Caldwell - (shawna.caldwell@mecklenburgcountync.gov)

Storm Water Services: Myrette Stephen - (myrette.stephen@mecklenburgcountync.gov)

Solid Waste Comments: Joe Hack - (joe.hack@mecklenburgcountync.gov)

Additionally, please CC Erin Stanforth, (erin.stanforth@mecklenburgcountync.gov) on all communications to individual departments.

MCAQ Scope of Review:

Mecklenburg County Air Quality (MCAQ) has reviewed the petitions with regard to air quality regulations for stationary sources and demolition and/or renovation of structures (e.g. National Emission Standards for Hazardous Air Pollutants for asbestos). Comments may also be made regarding incompatible land uses, sources of Toxic Air Pollutants, proximity to Risk Management Plan facilities, and proximity to known nuisance conditions or sensitive populations. MCAQ has conducted the review based on information submitted by the petitioner, review of aerial photographs (as available through the Mecklenburg County Polaris system), review of the "Air Pollution Facility Information Online" database available from the MCAQ website, and review of Mecklenburg County Health Department records. The review is cursory based on limited information provided within petition applications and site plans.

PEOPLE • PRIDE • PROGRESS • PARTNERSHIP
2145 Suttle Avenue • Charlotte, North Carolina 28208 • Fax 980.335.2253
www.mecknc.gov