



MECKLENBURG COUNTY
Land Use and Environmental Services Agency

To: Michael Russell, Principal Planner City of Charlotte
From: Dylan Kirk, Sustainability Program Coordinator
Date: Tuesday, March 24, 2020
Subject: City of Charlotte February Rezoning Petitions

Mr. Michael Russell
Charlotte-Mecklenburg Planning Commission
600 East Fourth Street Charlotte, North Carolina 28202

Dear Mr. Russell, GIS ID
07309107
Mecklenburg County has reviewed the City of Charlotte rezoning petition below to identify regulatory requirements of the petitioner; inform the petitioner, planning staff, and other affected parties of such regulatory requirements; and identify potential effects on, and impacts from, nearby properties.

2020-016: Nolan Elenz

Air Quality Comments: Development of this site may require submission of an asbestos Notification of Demolition and Renovation to MCAQ due to possible demolition or relocation of an existing structure. A letter of notification and the required forms have been mailed directly to the petitioner by MCAQ.

Ground Water Services Comments: GWS records indicate a contamination site(s) exist on or within 1,500 feet of the properties included in the petitions. An established Area of Regulated Groundwater Usage (ARGU) as defined by the Mecklenburg County Groundwater Well Regulations extends 1,500 feet around the contamination sites. In ARGU where municipally supplied water is available water supply wells for water supply, irrigation or open loop geothermal systems may not be permitted or constructed on or within 1,000 feet of contamination sites. Wells may be permitted with special construction and sampling requirements between 1,000 and 1,500 feet of contamination sites. Where no other water sources are available, wells may be permitted with special construction and sampling requirements within 1,500' of contamination sites.

Mecklenburg County Solid Waste: No comments.

Storm Water Services Comments: No comments from Permitting & Compliance, Storm Water Service and Water Quality.

MCAQ Scope of Review:

MCAQ has reviewed the petitions with regard to air quality regulations for stationary sources and demolition and/or renovation of structures (e.g. National Emission Standards for Hazardous Air Pollutants for asbestos). Comments may also be made regarding incompatible land uses, sources of Toxic Air Pollutants, proximity to Risk Management Plan facilities, and proximity to known nuisance conditions or sensitive populations. MCAQ has conducted the review based on information submitted by the petitioner, review of aerial photographs (as available through the Mecklenburg County Polaris system,) review of the “Air Pollution Facility Information Online” database available from the MCAQ website, and review of Mecklenburg County Health Department records. The review is cursory based on limited information provided within petition applications and site plans.